

Interstage Business Process Manager Analytics V12.1

A decorative horizontal banner with a blue gradient background, featuring abstract light trails and a grid of glowing blue dots that recede into the distance.

Dashboard / Output Guide

Solaris

J2S0-0430-01ENZ0(00)
April 2013

About this Manual

This section explains summary, chapter overview, abbreviations, and provides useful information.

The contents in this section are as follows:

- [Purpose](#)
- [Intended Audience](#)
- [Chapter Overview](#)
- [Typographical Conventions](#)
- [Reference Materials](#)
- [Abbreviations](#)
- [Export Regulations](#)
- [Trademarks](#)
- [Requests](#)
- [Copyright](#)

Purpose

This document describes how to use the Dashboard to display Analytical data.

Intended Audience

This manual is intended for use by system administrators.. It assumes that the reader has a working knowledge of the following topics:

- Web Browser operation

Chapter Overview

Chapter	Title	Description
1	Analytics Dashboard Overview	Summary of Interstage BPM Analytics presentation capabilities.
2	Analytics Dashboard Prerequisites	Explains how to start Dashboard.
3	Operating the Analytics Dashboard	Explains how to operating Dashboard.
4	Other Functions	Explains other functions.

Typographical Conventions

The following conventions are used throughout this manual:

Example	Meaning
command	Text, which you are required to type at a command line, is identified by Courier font.
screen text	Text, which is visible in the user interface, is bold .
<i>Reference</i>	Reference material is in <i>italics</i> .
Parameter	A command parameter is identified by Courier font.

Reference Materials

The following reference materials for this software are also available:

Release Notes

Contains an overview of the Analytics software and late-breaking information that could not be included in the manuals

Overview

Describes the architecture and features of the Analytics software

Installation Guide

Explains how to install the software.

Administration Guide

Covers administration tools and tips, message references, and troubleshooting

Analytics Studio Guide

Explains how to use the Analytics Studio to configure parameters that enforce Analytics features

Management Console Guide

Explains how to use the Management Console and Management Commands to configure key parameters, such as how to start/stop the Analytics software service or how to display the software status

Process Discovery Guide

Explains how to use Process Discovery that generates process diagrams using historical data

Handbook for the Process Discovery

Explains how to operate the Process Discovery briefly

Abbreviations

The following abbreviations are used throughout this document.

Name	Abbreviation
Oracle Solaris 11	Solaris 11, Solaris
Microsoft(R) Windows Server(TM) 2003, Standard Edition Microsoft(R) Windows Server(TM) 2003, Enterprise Edition Microsoft(R) Windows Server(TM) 2003 R2, Standard Edition Microsoft(R) Windows Server(TM) 2003 R2, Enterprise Edition Microsoft(R) Windows Server(R) 2008, Standard Edition Microsoft(R) Windows Server(R) 2008, Enterprise Edition Microsoft(R) Windows Server(R) 2008 R2 Standard Microsoft(R) Windows Server(R) 2008 R2 Enterprise	Windows Server
Microsoft(R) Windows Server(TM) 2003, Standard x64 Edition Microsoft(R) Windows Server(TM) 2003, Enterprise x64 Edition Microsoft(R) Windows Server(TM) 2003 R2, Standard x64 Edition Microsoft(R) Windows Server(TM) 2003 R2, Enterprise x64 Edition	Windows Server 2003(x64) or Windows Server 2003
Microsoft(R) Windows Server(R) 2012 Microsoft(R) Windows Server(R) 2012 Datacenter Microsoft(R) Windows Server(R) 2012 Standard Microsoft(R) Windows Server(R) 2012 Foundation	Windows Server 2012
Microsoft(R) Windows(R) XP Professional operating system Microsoft(R) Windows(R) XP Home Edition operating system	Windows XP or Windows
Microsoft(R) Windows Vista(R) Business Microsoft(R) Windows Vista(R) Enterprise Microsoft(R) Windows Vista(R) Ultimate	Windows Vista or Windows

Name	Abbreviation
Microsoft(R) Windows(R) 7 Home Premium Microsoft(R) Windows(R) 7 Professional Microsoft(R) Windows(R) 7 Ultimate	Windows 7 or Windows
Microsoft(R) Windows(R) 8 Microsoft(R) Windows(R) 8 Pro Microsoft(R) Windows(R) 8 Enterprise	Windows 8 or Windows
Microsoft(R) Internet Explorer 7.0 Microsoft(R) Internet Explorer 8.0 Microsoft(R) Internet Explorer 9.0 Microsoft(R) Internet Explorer 10.0	Internet Explorer
Red Hat Enterprise Linux AS Red Hat Enterprise Linux ES Red Hat Enterprise Linux 5 Red Hat Enterprise Linux 6	Linux
Interstage Application Server Enterprise Edition Interstage Application Server Standard-J Edition	Interstage Application Server
Interstage Business Process Manager	Interstage BPM or IBPM
Oracle Database 10g Enterprise Edition R10.1.0/R10.2.0 Oracle Database 10g Standard Edition R10.1.0/R10.2.0 Oracle Database 10g Standard Edition One R10.1.0/R10.2.0	Oracle10g or Oracle
Oracle Database 11g Enterprise Edition Oracle Database 11g Standard Edition Oracle Database 11g Standard Edition One Oracle Database 11g R2 Enterprise Edition Oracle Database 11g R2 Standard Edition Oracle Database 11g R2 Standard Edition One	Oracle11g or Oracle
Microsoft SQL Server 2005 Standard Edition Microsoft SQL Server 2005 Enterprise Edition	SQL Server 2005 or SQL Server
Microsoft SQL Server 2008 Standard Edition Microsoft SQL Server 2008 Enterprise Edition	SQL Server 2008 or SQL Server

Export Regulations

Fujitsu documents may include special technology regulated by foreign exchange and foreign trade regulation laws. If special technology is included, permission must be obtained under these laws before exporting a document or providing it to a non-resident.

Trademarks

- Microsoft, Windows, and Windows Server are trademarks or registered trademarks of Microsoft Corporation in the United States and other countries.
- Oracle and Java are registered trademarks of Oracle and/or affiliates. Other names may be trademarks of their respective owners.
- SQL Server is a Microsoft Corporation (USA) product.
- All other company and product names referred to in this document are general trademarks or registered trademarks of their respective owners.

Requests

- This document may be revised without notice.
- Do not pass on this document to other parties without permission.

- Our company bears no responsibility for third-party infringements of patent or other rights arising out of use of the data contained in this document.

Copyright

Copyright 2013 FUJITSU LIMITED


April 2013 First Edition

Contents

Chapter 1 Analytics Dashboard Overview.....	1
Chapter 2 Analytics Dashboard Prerequisites.....	2
2.1 Preparing Dashboard.....	2
2.2 Accessing Analytics Dashboard.....	2
Chapter 3 Operating the Analytics Dashboard.....	4
3.1 Overview.....	4
3.1.1 User Preferences.....	6
3.2 Operations in the Overview.....	7
3.3 Operations in the Alert View.....	10
3.3.1 Alert List Display.....	10
3.3.2 Drilled-down display.....	13
3.4 Operations in the Search View.....	15
3.4.1 Alert search.....	15
3.4.2 Comment search.....	16
3.4.3 Process search.....	17
3.5 Operations in the Business Reports View.....	22
3.5.1 Layout.....	22
3.5.2 Charts.....	23
3.5.3 Alert list.....	31
3.5.4 External URL.....	31
3.6 Operations in the Process Performance View.....	31
3.6.1 Process Performance.....	33
3.6.2 Process Analysis Details.....	35
3.6.3 Activity analysis.....	35
3.6.4 Activity Analysis Details.....	36
Chapter 4 Other Functions.....	38
4.1 Direct Display.....	38
4.1.1 Relationship to the Dashboard Group.....	38
4.1.2 External Filtering.....	38
4.2 Label Substitution.....	39
4.2.1 Creating label substitution definition.....	39
4.2.2 Mapping Attribute and a label substitution definition.....	39
4.2.3 Enable label substitution in Dashboard group definition.....	40
4.2.4 Enable label substitution in Report definition.....	40
Appendix A Appendix.....	41
A.1 Calculation of the Values in the Performance View.....	41
A.1.1 Lead time.....	41
A.1.2 Wait Time.....	41
A.1.3 Work time.....	42

Chapter 1 Analytics Dashboard Overview

This section provides an overview of the Interstage Business Process Manager Analytics (BPMA) Dashboard.



As shown above, there are functionalities like Business Dashboard, E-Mail Notification, Launch Services and Export Analytical data as front service. This document explains about presentation of Dashboard.

Analytics Dashboard

Analytics Dashboard is an important feature of BPMA. It presents analysis information in a user-friendly manner. Analytics Dashboard can display charts, graphs, key performance indicators (KPIs), process diagrams, and data tables.

Analytics Dashboard is a flexible browser-based interface that can be configured to suit individual user requirements.

Other Output Options

Other output options perform event-triggered actions, such as sending notifications by e-mail and starting other applications and data output in a range of formats.

Chapter 2 Analytics Dashboard Prerequisites

Before using Dashboard, environment setting is required. These setting can be done on Management Console and Analytics Studio.

2.1 Preparing Dashboard

This section describes those tasks, namely:

- Configuring the authentication method
- Creating user accounts and granting permissions
- Creating Analytics Dashboard profiles and groups

This section also describes how to access Analytics Dashboard.

Configuring the Authentication Method

In Management Console, set the authentication method for using Analytics Dashboard.

Refer to the *Interstage Business Process Manager Analytics Management Console Guide* for details.

Creating user accounts and granting permissions

Create user accounts and grant permissions in the Management Console. Granting of permissions allows access to the various features available in Analytics Dashboard.

Refer to the *Interstage Business Process Manager Analytics Management Console Guide* for details.

Creating Analytics Dashboard Profiles and Dashboard Groups

To use Dashboard functionalities, creating Dashboard Profile and Dashboard Group in Analytics Studio is required.

In Dashboard Profile, define contents to be displayed in Dashboard.

Then map the relation between Dashboard Profile and user account during Dashboard Group creation. User can be assigned to multiple Dashboard Group.

Refer to the *Interstage Business Process Manager Analytics Studio Guide* for details.



Note

In case user is assigned to multiple Dashboard Group and each of the parameters of Dashboard Group is different, Dashboard behaves based on following rules:

- When one of the parameters of all groups is enabled, the parameter of all groups is enabled.
 - Dashboard Menu Settings
 - Permissions
- When one of the parameters of all groups is disabled, the parameter of all groups is disabled.
 - Allow label substitution
- No influence
 - User(s)
 - Profile(s)

2.2 Accessing Analytics Dashboard

Analytics Dashboard is accessed using a Web browser.


```
http://server:port/ibpmm/dashboard/Welcome
```

In the above URL, **server** is the host name or IP address of the Analytics Server and **port** is the port number used by the Web server. The default port number for the built-in application server is 40330. For other application servers, confirm and specify their respective port number. If omitted, the default value of 80 is used.

On the BPMA login page, specify your user ID, password, and click Log In. Note that you will not be able to log into the Analytics Dashboard if your user ID does not have the required permissions for accessing the application.


Chapter 3 Operating the Analytics Dashboard

This chapter describes the operation of the Interstage Business Process Manager Analytics (BPMA) Dashboard.

3.1 Overview

The Analytics Dashboard is a tool that enables you to monitor business activities. It is accessed using a Web browser.

To open the Analytics Dashboard, click the Dashboard tab in the global header. Functions other than the dashboard can be used by clicking other tabs.



The Analytics Dashboard has five different views that are selected from the tree on the left of the window.

Once opened tab is stored as long as it does not shut, and you can switch by clicking these tabs.

When you log in as a user that belongs to more than one dashboard group, a drop-down list is displayed for you to select the group you want to view.

Overview menu

Overview is the top page of the dashboard. The following information is displayed in the Dashboard Overview.

- Alert summary
 - Summaries of alerts are shown here. The information displayed matches the monitoring conditions configured for the profile. A list of alerts is displayed when you click the alert monitoring conditions in the summary.
- Business Reports
 - The same contents shown in the KPI view can be shown.

Alert view menu

The following features are available in Alert menu:

- Display Alerts
Displays list of the alerts detected.
- Alert details and escalation results
Details about the alerts selected in the list of alerts are shown here. The results of escalation are also shown if applicable.
- Alert list display and possible actions
Alerts matching the monitoring conditions are shown in a list. There are a number of actions that can be taken.
- Related URL display
This shows URLs configured beforehand in Interstage Business Process Manager Analytics (BPMA) Studio. By jumping to these links from the list of alerts, related operations can be accessed. Alert values can be embedded in the URL links.
- Related KPI display
This shows charts and layouts as alert-related information configured beforehand in Analytics Studio.
- Display history of comment
The comment that has been provided before can be displayed by the time series for the action of the alert.

Search menu

The following features are available in Search menu:

- Alert search
Search for alerts with specified conditions.
- Comment search
Search in the content of the comments attached to alerts, charts, and processes.
- Process search
Search for a process instance based on specific criteria such as alert status in case of BPM integration.

Business Reports menu

The following features are available in Business Reports menu:

- Chart display
This displays a chart showing business activities in real-time. Icons are displayed on events if alerts have occurred in an event.
- Drill Down
Detailed information can be displayed about charts that have been set up in Analytics Studio.
- Output to CSV
Allows output of the current chart to a comma-separated value (CSV) file.
- History display
Shows charts for the periods specified by the slider.
- Alert list display
Alerts matching the monitoring conditions are shown in a list.
- External URL display
This shows Web pages configured beforehand in Analytics Studio.

Process Performance menu

The following features are available in Process Performance menu:

- Performance display of the most recent status of the process
Displays performance trends for the process currently being monitored. Indicators such as lead-time and delays are used.
- Process trend analysis display
Displays performance trends for processes started in a specified period.




Note

The process search part of the Search menu and the Process Performance menu are only available from integrated Interstage BPM Console. Please refer to *"Installation guide"* for the cooperation method with Interstage BPM.

3.1.1 User Preferences

This section explains the operations about user preferences setting which is displayed in the global header. User Preference screen is displayed when click the User Name or User ID area on the global header.



You can update user preferences from this screen and specified parameters are activated when you click [Apply] button in the each tab.

Descriptions of the features:

Tab name	Feature name	Description
Permission	Permission	Displays the user permission about Login user.

Tab name	Feature name	Description
	Studio Editing Permission	Displays the permission of elements you can edit.
User Profile	User Name	Updates User Name.
	E-Mail	Updates E-mail address.
	Change password	Check in case changing password.
	New password	Specify new password.
	New password(confirm)	Specify new password for confirmation.
Start Page	Start Page	Specify first tab when user login.
		"Same as on last logout" displays the last page when user logout.
Studio	Recent Element List	Specify "Recent Elements" number displayed in Analytics Studio.
	Definition Tree	Specify whether to display tooltip information in Analytics Studio definition tree.

Note

Changing password is available only in case Administrator permits.

Studio setting is displayed only if user has permission for operating Studio.

Some of the changes will be activated during next login.

3.2 Operations in the Overview

This section explains the operations you can perform in the Dashboard Overview.

The Overview is what is first displayed when you log in to the Analytics Dashboard.

The Overview shows alert summaries, charts (similar to those shown in the KPI view) and external URLs. The Alert summary is an overview of alert occurrences for each profile.

Alert summary

The Alert summary has the following two modes:

Item Name	Description
Tile mode	This consists of an upper area showing profiles and a lower area showing filters. It graphically represents the conditions under which alerts occurred.
List mode	The alerts are shown in a tree and list format. It differs from the Tile mode in that the alerts can be dealt with or commented in the same window.

Point

The number of alerts displayed in the Alert summary will change depending on permissions of the group which user is assigned, and current alert's status.

Basically alert status which is "Unresolved" or "Rejected" will be counted up, but in case login user's group has permission "Alert Approval", alert status "Resolved" will also be counted.

Alert summary toolbar


Updated time: 11/28/2011 23:04



Descriptions of the features:

Feature name	Description
Refresh	Updates the content of the Alert summary.
Change view mode	Switches the display mode. The mode chosen here is also shown whenever you return to this window after closing it or logging out.

Tile mode



The features available in the Tile mode are as follows.

- Upper area

The panel shows signals that indicate the status of filters within profiles.

Signals show three status levels, depending on thresholds.

- **Critical**
- **High**
- **Normal**

Refer to *“Analytics Studio Guide”* for information about setting thresholds.

- Lower area


The lower area shows the alert status panel for filters belonging to the profiles selected in the panel.

As with the filter panel, signals show the status in three levels.

- 
- 
- 

To open an alert view in a separate tab, click on the filter panel.

List mode



The screenshot shows the 'Alert summary' window. At the top, there's an 'Alert filter' section with a 'Critical' icon and a 'Refresh' button. Below it, a summary shows 'Total results: 24 alerts' with counts for Critical (6), Warning (2), Information (16), and Normal (0). The main table has columns: Alert name, Type, Status, Group, Time, Level, and Message. The alerts are grouped under 'testProfile', 'testProfile 2', and 'testProfile 3'. The 'testProfile' group is expanded to show a sub-group 'Alert filter' containing 24 individual alert entries with their respective icons, times, and messages.

The features available in the List mode are as follows.

- The tree format shows the following three levels.
 - Level 1: Profiles
 - Level 2: Filters
 - Level 3: Alerts

The first and second levels show the same signals as the Tile mode.

- To display the signal and title of the filter clicked in the upper section, click on the level 2 filter.
- The following operations are available with level 3 alerts:

Feature name	Description
Details	A new tab opens that has details about the selected alert.
Handle	An action/comment dialog is displayed. Actions relating to alerts can be checked or executed and comments can be checked or added.


3.3 Operations in the Alert View

This section explains the operations you can perform in the Alert view.


3.3.1 Alert List Display

To display information about an alert, click listed name in the alert tree in the pane on the left of the Dashboard.

In case there are number of alerts which cannot be displayed in a list, message "Could not show all alerts." will be shown.




Handling alert status



The displayed alert list can be filtered according to the alert status by using the **Filtering** list located at the top of the alert list. You can select multiple alerts and process them collectively.

After filtering, if **Reset** is selected in the **Filtering** list, the display will revert to its previous state.

Alert toolbar



The following items are available on the Alert toolbar:

Item name	Description
Refresh	Updates the content of the Alert list.
Configure	Opens the Alert Settings dialog box. Used to change the columns displayed and to filter alert results
Print	Saves a snapshot of the displayed alert list. The snapshot is saved as png format.
Help	Displays help information about this feature.
Operate Alert(s)	<p>Allows you to change the alert status, if you have appropriate rights.</p> <p>The following status are available:</p> <ul style="list-style-type: none"> - Unresolved - Rejected - Resolved - Approved <p>Note that you must add a comment when you change the status.</p>

Configure

In the Alert Settings dialog box, you can filter the alerts list results and change the items displayed.

Click Reset to Default Settings to restore the default display settings.

The following describes the items in the Alert Settings dialog box.

Item Name	Description	
Time	All	Alerts from any period are shown.
	Specify range	<p>Sets the alert period. Select one of the following:</p> <ul style="list-style-type: none"> • Today • This week • This month • A historical period starting from the current date back to the specified point (year, month, day, hour)
	Specify date	<p>Specify a date range.</p> <ul style="list-style-type: none"> - Specify a start date. The date range will be from the start date to the current date. - Specify a start date and an end date
Alert status	<p>Displayed alerts can be filtered according to the selected alert status.</p> <p>Select any of the following check boxes:</p> <ul style="list-style-type: none"> - Unresolved - Rejected - Resolved - Approved 	
Message	Filter by Message.	
Alert type	Filter by Alert type.	
Target Events	<p>Filter by event.</p> <p>Displays events with alerts that are included in the alert filter set in the profile definition.</p>	

Item Name	Description
Alert Name	Filter by Alert Name. Displays alerts that are included in the alert filter set in the profile definition.
Alert level	Filter by alert level.

The following describes the items in the Alert Settings dialog box for customizing the result display.

Item Name	Description
Auto Refresh	Specify the alert list refresh frequency. Specify '0' if the window is not to be refreshed.
Number of results	Specify the maximum number of items to be displayed at a time. Select 10, 50, 100, 300, 500
Custom Columns	Specify the columns to be displayed in the alert list.

Operate Alert(s)

Take the following points into consideration for processing alerts using **Operate Alert(s)**.

- After rectifying the problems associated with an alert, set its status as **Resolved**.
- If there are no problems with a resolved alert, set its status as **Approved**.
- If there is a problem with a resolved or approved alert, set its status as **Rejected**.
- Comments can be added to alerts.
- Only the person who added the comment can cancel the added. As for the canceled comment, the cancellation line is added.

To change an alert's status, select the check box next to the alert and click **Operate Alert(s)**. Note that the dialog box that is displayed is different depending on the current status of the selected alert.

- If you selected one alert:
The processing details of alert operations and the comment history is displayed. Comments that have been added can also be deleted.
When a process is executed, its details are recorded in the history and the next process can be executed.
- If multiple alerts are selected:
The comment history is not displayed.
When processes are executed, the execution results message is displayed.

In the **Operate Alert(s)** dialog box, type a comment and click the displayed status button to change the alert status.

Note, by selecting the **Can resolve Alerts** and **Can approve Alerts** check boxes for a dashboard group definition in the Analytics Studio, you can control who can process alerts using the Analytics Dashboard.

For details, refer to "Editing Dashboard Groups" in Chapter 3, "Using the Analytics Studio" of the *Interstage Business Process Manager Analytics Studio Guide*.

Operate Alert(s)
✕

Type the comment, and then press Change Status button to change the alert status(es).

Input Comment*

Comment history

Comment & Resolve

Comment

Close

3.3.2 Drilled-down display

To show detailed information about an alert, click the alert in the alert list. This will show a panel with details in the lower part of the window.

Details tab

In "Details" tab, detail parameters such as alert dates, parameter which causes the alert, or related URL are displayed.

Panel size can be changed by dragging the tabs.

Details Chart Comment history Result of Actions ✕				
	Event Date	Oct 12, 2012 16:51:30	Type	Warning
	Boolean	false	Status	Unresolved
	Date	Jan 16, 2009	Date	Oct 12, 2012 16:51:31
	Datetime	Jan 02, 2009 04:26:39	Alert level	60
	GeneratedDate	Oct 12, 2012 16:51:12	Message	60
	Integer	1955	Event Group	Text
	Real	1436.184	Link to Fujitsu	
	String1	M		
	String2	Nico		
	Time	16:23:32		

The following describes the items in the Details tab.


Item Name		Description
Event attribute	Date and time of the event	Displays the time and date the event occurred.
	Event Attribute Name (UDA)	Displays the attribute value of the target event when the alert occurred. The UDA is shown if the alert is related to a process.
Alert attribute	Type	Displays the alert type.
	Status	Displays the alert status.
	Date	Displays the time and date the alert occurred.
	Alert level	Displays the alert level.
	Message	Displays the alert message.

Item Name	Description
Event Group	Displays the name of the event group to which the event where the alert happened belongs.

Chart tab

The Chart tab shows preset charts and layouts.

A vertical red line appears in time line charts to indicate the date when an alert occurred.



Process tab

The Process tab shows business process diagrams.

This tab is displayed if the alert is related to business processes.

Comment history tab

The comment provided when dealing with the alert can sequentially be displayed from the new one by the time series in the history tab of the comment.

The history of the latest comment can be displayed by pushing the update button.

[Details](#)
[Chart](#)
[Comment history](#)
[Result of Action](#)

 Refresh

Comment history

No.3 : Manager : Comment : Nov 05, 2012 17:12:41
OK.

No.2 : Person : Comment : Nov 05, 2012 17:12:13
This problem has been fixed.
Please close.

No.1 : Manager : Comment : Nov 05, 2012 17:11:43
Please investigate.

Result of Actions tab

The Result of Actions tab shows the results of escalation.

You can execute the action again by specifying Action ID in case the result was failure. Refer to "*Management Console Guide*" for more details.

[Details](#)
[Chart](#)
[Comment history](#)
[Result of Actions](#)

Result of Mail delivery

Finished Date	Oct 12, 2012 16:51:31	▶ Send Parameter
Action ID	00000000001906000000000000311	
Result Status	Succeeded	
Result Message	OK	

Results from Interstage BPM

Finished Date	Oct 12, 2012 16:51:31	▶ Send Parameter
Action ID	00000000001906000000000000312	▶ Send Property
Result Status	Succeeded	▶ Receive Parameter
Result Message	OK	

3.4 Operations in the Search View

This section explains the operations you can perform in the Search view.

3.4.1 Alert search

Search for alerts that match specified conditions.

To display details for an alert, click on the alert in the list of results.

The results screen is similar to the Alert view. Click the link at the top of the list of alerts to return to the Search view.

Group x Alert filter x Search Alerts x

Search alerts

Search Fields Custom Columns

Fields marked with asterisk(*) are required

Time * All

Alert status * Unresolved Rejected Resolved Approved

Message

Alert Type Between Unknown and Critical

Target Events *
 BPM Default.testApp.testProcess2.Event
 RDB Event
 Flow Statistics Event (EDI_MGUU6NQVFZ)
 Text Event
 Text Statistics Event

Alert Name *
 Text Alert
 RDB Alert
 Text Statistics Alert
 Workflow Alert
 FlowStatistics Alert

Alert level Between 0 and 100

Search

The items in the search criteria and customizing the result display are the same as in the dialog for the Alert view.

The alerts results screen is also similar to the list of alerts in the Alert view.

3.4.2 Comment search

Search in the content of the comments attached to alerts, charts, and processes.

Search results are displayed for each target specified in Comment target. Click a search result to display the content of the alert.

Search comments

View profile: Text Profile

Comment target: Alerts

Comment date: [] and []

Number of results: 50

Search

Total results: 4

Alert Condition	Alert name	Time	Number of comments
Text Alert Filter	Text Alert (Palameter)	11/06/2012 19:44	3
Text Alert Filter	Text Alert (Palameter)	11/06/2012 19:15	3
Text Alert Filter	Text Alert (Palameter)	11/06/2012 15:01	2
Text Alert Filter	Text Alert (Palameter)	11/06/2012 14:46	3

Comment history

No.3 : Manager : Approve : Nov 06, 2012 19:46:54
OK.

No.2 : Operator : Resolve : Nov 06, 2012 19:46:29
This problem has been fixed.
Please close.

No.1 : Manager : Comment : Nov 06, 2012 19:45:49
Please investigate.

The following describes the items in the tab.

Item Name	Description
View profile	Filter by profile.
Comment target	Filter by Comment target. There are three types. - Alert - KPI - Process (In case Interstage BPM)
Comment date	Filter by the day the comment was made. The latest or oldest period is made as a range for the blank.
Number of results	Specify the number of results to display.

3.4.3 Process search

Search for a process instance based on specific criteria such as alert status.

To display the details for a process instance, click on the process instance in the list of search results.

This feature is only available only from integrated Interstage BPM Console.

The following describes the items in the tab.

Item Name		Description
Event Group		Filter by the selected Dashboard Group.
Process		Select the process definition to be searched. Select All to search all process definitions.
UDA		Filter by UDAs. It is necessary to set on Analytics Studio for displaying this item.
More Search Options	Current position	Specify the current position of the process instance.
	Alert status	Specify whether an alert has occurred in the process instance.
	Process start date	Filter by the process start date of the process instance.
	Process instantiator	Filter by the process instantiator of the process instance.
	Latest assignee	Filter by the latest assignee of the process instance.
	Owner	Filter by the owner of the process instance.
	Version	Filter by the version of the process instance.

Item Name	Description
Internal instance ID	Filter by the internal instance ID of process instance.

Search Results

This screen shows a list of the process instances found with the filtering conditions.

The following functions are available:

Feature name	Description
Refresh	Updates the listed process list.
Print	Saves a snapshot of the displayed process list.
Comment	Comments can be added for each process.

The screenshot shows a web application window titled "Search Process...". The search criteria are set to "ProcessProfile". The interface includes a "Profile" dropdown menu, a link to "refer search condition or change search condition", and buttons for "Refresh" and "Print". The search results are displayed in a table with the following columns: Key name, Alert, Current position, Related job, Start date, Update date, and Assignee. There are 25 total results.

Key name	Alert	Current position	Related job	Start date	Update date	Assignee
testProcess			0	12/01/2011 11:48	12/01/2011 11:49	tenantowner
testProcess			0	12/01/2011 11:38	12/01/2011 11:38	
testProcess			0	12/01/2011 10:20	12/01/2011 10:45	tenantowner
testProcess			0	12/01/2011 08:37	12/01/2011 08:37	tenantowner
testProcess			0	12/01/2011 07:29	12/01/2011 08:07	ota
testProcess			0	12/01/2011 05:58	12/01/2011 06:31	tenantowner
testProcess			0	12/01/2011 05:57	12/01/2011 06:31	tenantowner
testProcess			0	12/01/2011 05:30	12/01/2011 05:32	ota
testProcess			0	12/01/2011 05:30	12/01/2011 08:06	tenantowner
testProcess			0	12/01/2011 05:30	12/01/2011 08:06	tenantowner
testProcess			0	12/01/2011 05:30	12/01/2011 05:31	sato

At the bottom of the window, there are tabs for "Results", "Diagram", "Problems", and "Process Progress". The "Results" tab is active, showing "Process : testProcess" and "String : Test".

Results tab

The Results tab shows details about the process instances.

Process : testProcess2 **Str_aa :** Test
Start date : Feb 28, 2012 03:14:12 **Bool_bb :** false
Update date : Feb 28, 2012 03:14:12 **Date_cc :** Oct 04, 2010 18:51:13
Lead Time : 6039:33:47
Process instantiator : __process
Latest assignee : -
Owner : tenantOwner
Status : Active
Parent process : -
Current position : Activity1
Version : 1.0
Internal instance ID : 6174


The following describes the items in the tab.

Item Name		Description
Attributes of Process	Process	Displays the process instance name.
	Process start date	Displays the date the process instance started.
	Update Date	Displays the date that the process instance was last updated.
	Lead time	Displays the time between the process start date and the current time.
	Process instantiator	Displays the person who started the process instance.
	Latest assignee	Displays the person who was most recently assigned to the process instance.
	Owner	Displays the owner of the process instance.
	Status	Displays the status of the process instance.
	Parent process	Displays the parent process if the subject is a subprocess.
	Current position	Displays the current position of the process instance.
	Version	Displays the version of the process definition.
Internal instance ID	Displays the Instance ID of the process instance.	
UDA		Displays the UDA.

Process diagram tab

The Process diagram tab displays a process chart that shows the positions of alerts and the statuses of activities.

Only standard processes are displayed in this tab. This tab has only displaying when process is diagram.



Problems tab

The Problems tab displays a list of the alerts that have occurred in the process instance.

Process progress table tab

The Process progress table tab contains the following information:

- Details about the tasks (activities) in a process
- Gantt chart showing the relative length of the lead time

Icons are displayed at the start, current (or end), and due positions. Move the pointer over each icon to view time details.


Task	Alert	11/30/2011 21:11 - 12/05/2011 16:52	Lead Time	Delinc
▼ <input type="checkbox"/> testProcess			00:00:00	00:00:00
<input type="checkbox"/> Activity1			06:24:14	06:19:14
<input type="checkbox"/> Activity3			00:00:00	00:00:00

3.5 Operations in the Business Reports View


This section explains the operations you can perform in the Business Report view.

3.5.1 Layout

The KPI Layout view is displayed when you log into the Analytics Dashboard and click on the item you want to display in the KPI tree in the left pane. The number location, and content of the bricks displayed in the KPI view depends on the chart layout selected.



Layout toolbar




Descriptions of the features:

Feature name	Description
Refresh All	Refresh all panels except the one for external URLs.
Export CSV	All the charts in the layout are output to one CSV file.
Print	Saves a snapshot of the displayed layout. External URLs is not saved.
Help	Displays help information about this feature.

3.5.2 Charts


The following shows the structure of the brick window.



Descriptions of the features:


Feature name	Description
Refresh	Updates the chart to the latest status.
Change table/graph	Switches between table and graph display.
Comments	Comments (associated with KPI charts) can be registered and viewed.
History	You can arrange KPI charts for viewing that have been divided up into periods according to the chart's display period settings.
Show relational alerts	Displays a list of the alerts associated with the chart.
Export CSV	Outputs the content of the chart to a CSV file.
Period slider	Historical periods can be shown according to the period set for the chart.
Configure	Change the chart settings. These settings are effective only during the current login session.
Drill Down	Click on an item in the chart to show details about it. This must be configured beforehand in Analytics Studio.
Drill Up	If the current chart is after drill-down, then a chart of the parent level is displayed.
Related Chart	Displays charts associated with the chart. This must be configured in Analytics Studio beforehand.

History



History shows a list of charts for the period selected with the period slider. View each period side by side for a simple comparison. Adjust the period displayed by moving the slider at the top of the window.

Relational alerts




The alert status is displayed to the upper left of the brick. Note that if there are multiple alerts, the most important alert is displayed as an icon.

Clicking the alert status icon or clicking **Show relational alerts** on the **Show function** menu displays a list of alerts that are in the following states:

- Alerts associated with events used in charts
- And for users with approval rights, alert with the **Unresolved**, **Rejected**, or **Resolved** status; otherwise, alerts with the **Unresolved** or **Rejected** status

Period slider



Display the period slider by widening the period area of the brick.

Change the displayed period of the chart by moving the period slider. Click the play button to have the display switch after a certain period.

The marks on the period slider are based on the period set for the chart.

Configure

Click Configure to display the settings dialog.

Use this dialog to change the settings for the chart. These settings are effective only during the current login.

The users that can make changes may be restricted by changing the Edit Chart permissions in the dashboard group definitions.

Refer to *"Analytics Studio Guide"* for more information about dashboard group definitions.

Chart configuration ✕

View type and Data range | **Display Setting** | **Option**

Chart view type : Pie Chart ▼

Select KPIs

Category : String1 ▼

Series : No use ▼

Data : Integer ▼ None ▼

Drilling down is inactivated if you edit Chart view type or KPI attributes.

▶ **Operation for Data attribute**

Data range : Specify period ▼

Period : 1 ▲▼ Month(s) ▼

End time offset : 0 Month(s) ▼

Number of step(s) to display (1-60) : 5 ▲▼

▶ **Date time attribute for chart display**

Feature name		Description
View type and Data range	Chart view type	Set the type of display for the chart. The settings for properties depend on the type of display.

Feature name	Description
	<p data-bbox="443 241 564 271">Select KPIs</p> <p data-bbox="754 241 1458 304">For all charts other than the Event table, you can set either the Category, Series, or Data, depending on the type of chart.</p> <p data-bbox="754 322 1241 351">The settings are in the list format for Event tables.</p> <p data-bbox="754 369 1466 432">The drilldown is disabled when individual parameters are changed. Click Reset to default to enable drilldown again.</p> <p data-bbox="754 450 1294 479">You can specify display format for particular data type.</p> <ul style="list-style-type: none"> <li data-bbox="775 497 951 526">- Number format <p data-bbox="796 544 1474 573">In case data type is as read or integer, you can specify number format.</p> <ul style="list-style-type: none"> <li data-bbox="817 591 887 620">- none <p data-bbox="837 638 1230 667">Display the value as it is without format.</p> <p data-bbox="837 685 1497 748">If data type is Real, Decimal number of digits defined in Event definition is displayed.</p> <li data-bbox="817 766 906 795">- Integer <p data-bbox="837 813 1240 842">Round off decimal and display in integer.</p> <li data-bbox="817 860 911 889">- Percent <p data-bbox="837 907 1409 936">Round off decimal and display with % multiplying by 100.</p> <li data-bbox="817 954 890 983">- Time <p data-bbox="837 1001 1420 1030">Display hh:mm:ss format considering number to be Second.</p> <li data-bbox="817 1048 914 1077">- Custom <p data-bbox="837 1095 1144 1124">Display by user defined format.</p> <p data-bbox="837 1142 1070 1171">Enabled character:0, #, .</p> <p data-bbox="837 1189 1497 1252">0 means displays its digit always and 0 is added if value does not exist.</p> <p data-bbox="837 1270 1302 1299"># means display value if value exists in its digit.</p> <p data-bbox="837 1317 1054 1346">. means decimal point.</p> <li data-bbox="775 1364 959 1393">- Datetime format <p data-bbox="796 1411 1493 1440">In case data type is as datetime format, you can specify datetime format.</p> <ul style="list-style-type: none"> <li data-bbox="817 1458 887 1487">- none <p data-bbox="837 1505 1230 1534">Display the value as it is without format.</p> <li data-bbox="817 1552 884 1581">- Date <p data-bbox="837 1599 1062 1628">Display as date format.</p> <li data-bbox="817 1646 890 1675">- Time <p data-bbox="837 1693 1062 1722">Display as time format.</p> <li data-bbox="817 1740 914 1769">- Custom <p data-bbox="837 1787 1144 1816">Display by user defined format.</p> <p data-bbox="837 1834 1369 1863">Enabled character: YYYY, MM, DD, EEE, hh, mm, ss</p>
Operation for data attribute	<p data-bbox="754 1886 1082 1915">Run operations on data attributes.</p> <ul style="list-style-type: none"> <li data-bbox="775 1933 1035 1962">- Operation for data attribute <p data-bbox="754 1980 1497 2042">Run one of the four arithmetic operations on data attributes. This is done for each of the data attributes.</p>

Feature name		Description
		<p>- Operation type</p> <p>This operation is run if there are duplicate item values.</p> <p>Calculation is performed according to the specified method.</p>
	Data range	<p>Set the display period for the chart.</p> <ul style="list-style-type: none"> - Latest data The newest data is displayed. - Past point data The newest data is displayed with the specified date as the start point. - Grid range The data for the specified display period is displayed starting with the start point. - Specify period The data for the specified display period is displayed starting with the current date. - Specify start Displays the data in the period between the start date and the current date. - Specify start and end Displays the data in the period between the start date and the end date.
	Number of step(s) to display	<p>Set Marks of Period slider.</p> <p>Select from 1 to 60.</p>
	Date time attribute for chart display	The date and time attributes used in Data range
	Calculation by time series	Calculates data values that duplicate across dates when a non-time series chart.
Display Settings	Title:	Set a title. Select the checkbox to display it.
	Title color	Change the color of the title.
	Constants size	Fixes the size of the brick.
	Refresh Interval	<p>Set the interval between chart refreshes. The chart is not refreshed automatically if you select 0.</p> <p>Select from 0 to 60.</p>
	Legend	<p>Select whether to show a legend.</p> <p>Available with the pie chart, bar chart, stacked bar chart, and histogram.</p>
	Display data value	<p>Select whether to display data values.</p> <p>Available with the pie chart, bar chart, stacked bar chart, histogram, and signals.</p>
	Direction of plot	<p>Set the direction of the plotting of the data axis of the graph.</p> <p>Available with the bar chart and stacked bar chart.</p>
	Horizontal labels	<p>Set the labels on the horizontal axis.</p> <p>Available with the bar chart, stacked bar chart, line chart, and histogram.</p>
	Horizontal axis labels	Set the labels for the marks on the horizontal axis.

Feature name	Description
	Available with the bar chart, stacked bar chart, line chart, and histogram.
Vertical labels	Set the labels on the vertical axis. Available with the bar chart, stacked bar chart, line chart, and histogram.
Vertical axis bound	Set the data range for the vertical axis. Available with the bar chart, stacked bar chart, line chart, and histogram.
Line type	Set the type of line to use in line charts. - Solid - Dashed
Line width	Set the line width in line charts. Select 1, 2, 3, 4, 5.
Number of Partition in histogram	Set the granularity of data distribution in the histogram.
Change row and column	Switch rows and columns in the data table.
Row Background color	Set the background color of the column labels in the data table.
Row Foreground color	Set the font color of the column labels in the data table.
Col Background color	Set the background color of the row labels in the data table.
Col Foreground color	Set the font color of the row labels in the data table.
Data Background color	Set the background color of the data cells in the data table.
Data Foreground color	Set the font color of the data cells in the data table.
Vertical axis bound	Set the data range in the tachometer.
Low Threshold	Set the low-end threshold. Values lower than this threshold will appear in yellow. Available with the tachometer and signal charts.
High Threshold	Set the high-end threshold. Values higher than this threshold will appear in red. Available with the tachometer and signal charts.
Display a before data	Shows the value before the most recent refresh of the tachometer. The tachometer is displayed after a refresh.
Signal view type	Change the appearance of the signal. - One light - Three lights
Threshold	- Checkbox Select whether to display threshold values. - Value Set the threshold value. - Line type Set the type of line. - Solid line - Dashed Line 1

Feature name		Description
		<ul style="list-style-type: none"> - Dashed Line 2 - Dashed Line 3 - Dashed Line 4 - Dot Line - Line width Set the line width. Select 1, 2, 3, 4, or 5. - Line color Set the color.
Sub-Graph	Share vertical axis	Select whether to share the vertical axis with the base graph.
	Display	Select whether to display sub-graphs. The marks on the vertical graph will also be hidden if you choose not to display sub-graphs.
	Vertical labels	Set the labels on the vertical axis.
	Display data value	Displays data values. Available with the bar chart and stacked bar chart.
	Line type	Set the type of line to use in line charts. <ul style="list-style-type: none"> - Solid - Dashed
	Line width	Set the line width in line charts. Select 1, 2, 3, 4, or 5.
Options	Sort	Sort the charts. Specify attribute names for Event tables. Specify the axis of the chart for any other kind of chart. * Data cannot be used for sorting if a series has been specified.
	Control Plot Volume	Displays the rankings for categories and series. Data outside the rankings are calculated under Others. Others can be calculated by summing or by average. <ul style="list-style-type: none"> - Maximum number of category plots <ul style="list-style-type: none"> - If the category value is a date or time The number of plots is adjusted to stay below the specified maximum. - If the category value is a string or numerical value Only the higher data value items are displayed. - Maximum number of series plots <ul style="list-style-type: none"> - If the series value is a date or time Plot volume cannot be adjusted. - If the series values is a string or numerical value Only the higher data value series are displayed.
	Compare by Time Series	If the category attribute is Event time, specify whether to have the time series data split into multiple series according to a certain cycle. <ul style="list-style-type: none"> - Comparison cycle Specify a time cycle when dividing a series.


Feature name	Description
	<ul style="list-style-type: none"> - Display scope Specify the range displayed on the horizontal axis of a chart.

Drill Down

Parameters can be passed from parent chart to a child chart to delve deeper into a data column.

Some examples are shown below.

For example:



In this example, the parent chart is "Sales results for each shop" and a child chart for "Sales results for each category" is created under it, with "Shop-C" set as the drilling parameter to pass between them.

You can therefore show a chart for "Sales results for each category" for branch C by clicking on the "Shop-C" data column and selecting the "Sales results for each category" chart.

Related Chart

If parameters are not set for passing between parent and child charts, then the child chart will just be an associated chart.

The child chart is shown in the chart area by clicking on the parent chart icon and selecting the child chart.

The drilldown slider is displayed after you drilldown or display an associated chart the first time. You can thereafter control chart displays with this slider.

3.5.3 Alert list

Alerts matching the monitoring conditions are shown in a list, as in the Alert view.

Select an alert and click Open in the menu to show details about the alert.

3.5.4 External URL

You can display any Web page in this section.

3.6 Operations in the Process Performance View

The following explains the operations you can perform in the Process Performance view. This feature is only available from integrated Interstage BPM Console.

The Process Performance view is displayed when you log into the dashboard and click on a Monitor or on an analysis in the Process Performance tree in the left pane.

Process Performance view has the following two modes.

Display mode	Description
Monitor	Displays the analysis results of the current process.
Analysis	Displays analysis results for processes that were started during a specified period.

Monitor and Analysis show statistical results for elements of processes. These results can be seen in the Process Performance view and the Activity Performance view.

Element	Type of analysis	Description
Process	Process Performance	Displays the definition of the process being monitored.
Version	Process Performance	Displays the version of the process being monitored.
Phase	Process Performance	Displays the phase within the process.
Activity	Process Performance	Displays the activity within the process.
Aggregation	Activity analysis	Displays the aggregation name of the user (Assignee) who has taken on the activity. The group is the same as the "manager" user setting in Interstage BPM.
User	Activity analysis	Displays the name of the user (Assignee) who has taken on the activity.

Performance KPIs of the process

The table below shows the KPI items displayed for Process Performance and Activity Analysis.

The actual KPI items displayed depend on the displayed mode.



Note

The calculations of lead time and alert determinations are performed based on the calendar definitions set when linking to Interstage BPM.


Item	Description	Monitor		Analysis	
		Process	Activity	Process	Activity
Number of Activities	Displays the number of slips or activities that are the subject of statistical calculation. The activity count is the total number executed.	-	-	-	-
Total Amount	The total number of slips or activities.	○	○	○	○
Active	The number of slips or activities whose status is Active.	○	○	○	○
Completed	The number of slips or activities whose status is Completed.	-	○	○	○
Suspended	The number of slips whose status is Paused.	○	-	○	-
Error	The number of slips whose status is Error.	○	-	○	-
Abort	The number of slips whose status is Aborted.	-	-	○	-
Alerts	Displays alert and delay status.	-	-	-	-
No. of alerts	The number of slips or activities where alerts have occurred.	○	○	○	○
Alert rate	The rate of alert occurrences to the total number of slips or activities.	○	○	○	○
No. of Delay	The number of slips or activities where delays have occurred.	○	○	○	○

Item	Description	Monitor		Analysis	
		Process	Activity	Process	Activity
Delay rate	The rate of delay occurrences to the total number of slips or activities.	○	○	○	○
Delinquent time	Displays the status of delinquent (past due) items.	-	-	-	-
No. of delinq.	The number of slips or activities where delinquencies have occurred.	-	○	○	○
Delinq. Rate	The rate of delinquency occurrences to the total number of slips or activities.	-	○	○	○
Ave.	-	-	○	○	○
Max.	-	-	○	○	○
Min.	-	-	○	○	○
Total	-	-	○	○	○
Lead time	Displays the time that a process or activity has taken from the start to completion.	-	-	-	-
Ave.	-	-	○	○	○
Max.	-	-	○	○	○
Min.	-	-	○	○	○
Total	-	-	○	○	○
Ratio	The rate of the average duration per activity.	-	○	-	○
Work time	This is the time between when an activity is accepted and completed. If the activity has not been accepted, then the Work time will be zero. The total Work time for an entire process is the sum of the Work times for the various activities.	-	-	-	-
Ave.	-	-	-	○	○
Max.	-	-	-	○	○
Min.	-	-	-	○	○
Total	-	-	-	○	○
Wait Time	This is the time between when an activity is started and accepted. If the activity has not been accepted, then the Wait time will be zero. The total Wait time for an entire process is the sum of the Wait times for the various activities.	-	-	-	-
Ave.	-	-	○	○	○
Max.	-	-	○	○	○
Min.	-	-	○	○	○
Total	-	-	○	○	○
Others	-	-	-	-	-
Recalls	Displays the number of recalls.	-	○	-	○

3.6.1 Process Performance

This is an example of when Monitor is clicked.

Process Performance shows KPIs for each process, phase, or activity.



Process Performance toolbar




The following table describes Process Performance features.

Feature name		Description
Version selection	Latest version	Displays only the most recent of all processes linked.
	All versions	Displays all processes linked.
View report		Opens the KPI chart for Process Performance. This must be configured in Studio beforehand.
View activity		Displays the statistical results of selected activities for each group and user. Displayed if an activity in the process analysis table is selected.
View sub processes		Displays the statistical results of the selected subprocess. Displayed if a subprocess exists in an activity is selected in the process analysis table.
Analyze Process Patterns		Displayed when a process is selected (or when a route task is selected in the case of an irregular type). The Web Flow Viewer is displayed when you click this. The Analysis Layout for analysis must be on and Process Discovery must be linked for this to work.
Refresh		Refreshes the process analysis table.

Feature name	Description
Configure	Opens the settings dialog box. Use this dialog box to change the column items in the process analysis table.
Print	Saves a snapshot of the process analysis window.
Help	Displays help articles about this feature.

3.6.2 Process Analysis Details

Table details are displayed when you click elements on the process analysis table.



The following shows the details shown by the different elements.

Selected element	Process status	Diagram	Amount	Alerts	Delay	Processing time	Others	Process list
Initial display	<input type="radio"/>	-	-	-	-	-	-	-
Process	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/> (Analysis only)	-	<input type="radio"/>
Version	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/> (Analysis only)	-	<input type="radio"/>
Phase	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Activity	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

3.6.3 Activity analysis

This is an example of when latest status activities are displayed. In this display, KPIs are shown for the user that has accepted the selected activity and the organization they belong to.

Assignee	Count			Alerts		
	Total	Active	Completed	No. of Alerts	Alert rate	No. of Delay
ito	5	5	0	0	0.00%	0
inoue	1	1	0	0	0.00%	0
sato	4	4	0	0	0.00%	0

Amount | Alerts | Delay | Processing time | Others | Process list

Current number of each status for the selected activity

Current number of each status for the selected activity

The following table shows the features available with activity analysis.


Feature name	Description
Refresh	Refreshes the process analysis table.
Configure	Opens the settings dialog box. Use this dialog box to change the column items in the activity analysis table.
Print	Saves a snapshot of the process analysis window.
Help	Displays help information about this feature.

Information

"(no team)" is displayed if a user does not belong to an aggregation.

3.6.4 Activity Analysis Details

Table details are displayed when you click elements on the process analysis table.



The following shows the details shown by the different elements.

Selected element	Amount	Alert	Delay	Processing time	Others	Process list
Initial display	-	-	-	-	-	-
Aggregation	○	○	○	○(Analysis only)	-	○
User	○	○	○	○(Analysis only)	-	○

Chapter 4 Other Functions

4.1 Direct Display

The direct display of the Interstage Business Process Manager Analytics (BPMA) Dashboard allows display of the Business Report view and Alert view function.

Only the views themselves are shown, without the global header and navigation pane. There is also an option to hide the header menus when showing the KPI view.

Refer to the “*Analytics Studio Guide*” for details.



Note

Note that URL value of Direct Display URL would change when elements are migrated using "Importing Elements". Following element types have impact.

- Layout
- Alert Filter
- Dashboard Profile

4.1.1 Relationship to the Dashboard Group

The behavior of the direct view depends on the associated dashboard group.

Access to the direct view is controlled by the dashboard group setting.

Associated Dashboard Group	Action
Guest	View displayed without authentication
Not Guest	View appears after authentication by the user
Both Guest and not Guest	View appears after authentication by the user
Not associated with any Dashboard Group	View is not displayed

4.1.2 External Filtering

You can display the chart with filtered data when accessing Business Report view by setting some of the parameters.

The following items can be used:

Item	Value
Method	GET, POST
Concatenation conditions	AND, OR
Comparison operator	Equal

The following request parameters can be specified:

Parameters	Value	Description
conditionType	name, id	Type of value specified in condKey
condKey*	Attribute name or ID	Specify the property to be filtered (* is a sequence number)
condValue*	Attribute values	Set the value to be filtered

Parameters	Value	Description
		(* is a sequence number)

Creating conditional expressions

- Use the same sequence numbers for condKey and condValue in the conditional expression.
- In the condition expression, concatenate different condKeys with AND, and the same condKeys with OR.
- If a condValue corresponding to the sequence number of the condKey does not exist, the condKey is invalid.

For example:

Specify following URL in case setting the condition (AAA = PPP) AND ((BBB = QQQ) OR (BBB = RRR)).

URL : condKey0=AAA&condValue0=PPP&condKey1=BBB&condValue1=QQQ&condValue1=RRR

4.2 Label Substitution

To replace attribute values, create and modify following definitions.

- Creating label substitution definition
- Mapping attributes and label substitution definitions
- Enable label substitution in Dashboard group definition
- Enable label substitution in Report definition

To enable label substitution, replace following values.

- Each value of Category/Series/Data for Graph and Data table
- Data value of Event table
- The message of Alert
- Details of Alert
- Detail of Process
- Subject and Body of E-mail Action
- Report



Note

When Label substitution is valid, all alert messages including past messages are displayed current format.

If you don't want to replace past alert messages, disable label substitution in Dashboard group definition and Report definition.

If event attributes are mapped with label substitution definition, Attribute values of E-mail are always replaced.

4.2.1 Creating label substitution definition

Label substitution definition is created in Management console.

Refer to the "*Management Console*" for details.

4.2.2 Mapping Attribute and a label substitution definition

Attributes and label substitutions are mapped in Event definition.

Refer to the "*Studio Guide*" for details.

4.2.3 Enable label substitution in Dashboard group definition

To enable label substitution in Dashboard, modify Dashboard group definition.

Refer to the "*Studio Guide*" for details.



.....
Label substitution becomes invalid for the user who belongs to both valid group and invalid group.
.....

4.2.4 Enable label substitution in Report definition

To enable label substitution in Report, modify Report definition.

Refer to the "*Studio Guide*" for details.

Appendix A Appendix

This appendix provides additional information about the Interstage Business Process Manager Analytics (BPMA) Dashboard Process Performance view.

A.1 Calculation of the Values in the Performance View

This section explains how the values in the Process Performance view are calculated.

The following values are found in the Process Performance view:


- Lead time
- Wait Time
- Work time

Information

The times of the business days in the business calendar are used in the calculation of these values. The times from non-business days are not used in the calculations.

The 'business calendar' referred to is that held by the Process Definitions of Business Process Manager (BPM).

This diagram shows the relationship between the values.



A.1.1 Lead time

Calculations of lead time are based on the following:

- The time between the date and time of the start of the process and the date and time of the completion of the process is used.
- The times of the business days in the business calendar are used in the calculation.
- The Start Event of a process and the most recent End Event of a process are considered as a pair.
- Errors and pauses in the execution of the process are included as part of the lead time.
- Calculation is not performed if the process was cancelled.

A.1.2 Wait Time

Calculations of wait time are based on the following:

- The calculation starts at the Start Event and ends at the first Accepted Event.
- Times are not calculated if an Accepted Event has not occurred. This is because there can be no distinction made between waiting and working if an Accepted Event is not recorded. In this case, the time will be recorded as work time.

A.1.3 Work time

Calculations of work time are based on the following:

- If an Accepted Event has occurred, the time is calculated as between the Accepted Event and the End Event.
- If an Accepted Event has not occurred, the time is calculated as between the Start Event and the End Event.