

# **FUJITSU Software**

## **ServerView Resource Orchestrator V3.3.0**

A decorative horizontal band with a red-to-dark-red gradient, featuring abstract, glowing white and red lines that swirl and intersect, creating a sense of motion and technology.

# Documentation Road Map

Windows

J2X1-7768-04ENZ0(06)  
March 2018

# Preface

---

## Purpose of This Document

This manual explains documentation road map for FUJITSU Software ServerView Resource Orchestrator (hereinafter Resource Orchestrator).

## Intended Readers

This manual is for people who are reading the Resource Orchestrator manuals for the first time, and those who want information about the document conventions.

## Structure of This Document

This manual is composed as follows:

### Chapter 1 Structure of the Manuals

Explains the structure of the manuals for Resource Orchestrator.

### Chapter 2 How to Use the Manuals

Explains how to use the manuals of Resource Orchestrator

## Web Site URLs

URLs provided as reference sources within the main text are correct as of March 2018.

## Document Conventions

The notation in this manual conforms to the following conventions.

- When there is different information for the different versions of Resource Orchestrator, it is indicated as follows:

[All Editions]	Sections relevant for all editions
[Cloud Edition]	Sections related to Cloud Edition
[Virtual Edition]	Sections related to Virtual Edition

- When using Resource Orchestrator and the functions necessary differ due to the necessary basic software (OS), it is indicated as follows:

### [Windows Manager]

Sections related to Windows manager

### [Linux Manager]

Sections related to Linux manager

### [Windows]

Sections related to Windows

### [Linux]

Sections related to Linux

### [Red Hat Enterprise Linux]

Sections related to Red Hat Enterprise Linux

### [Solaris]

Sections related to Solaris

## [VMware]

Sections related to VMware

## [Horizon View]

Sections related to VMware Horizon View

## [Hyper-V]

Sections related to Hyper-V

## [Xen]

Sections related to RHEL5-Xen

## [KVM]

Sections related to RHEL-KVM

## [Solaris Zones]

Sections related to Solaris Zones (Solaris 10) and Solaris Zones (Solaris 11)

## [Solaris Zones (Solaris 10)]

Sections related to Solaris Zones with Solaris 10 VM hosts

## [Solaris Zones (Solaris 11)]

Sections related to Solaris Zones with Solaris 11 VM hosts

## [OVM for x86]

Sections related to Oracle VM Server for x86 2.2 and Oracle VM Server for x86 3.x

## [OVM for x86 2.2]

Sections related to Oracle VM Server for x86 2.2

## [OVM for x86 3.x]

Sections related to Oracle VM Server for x86 3.2 and Oracle VM Server for x86 3.3

## [OVM for SPARC]

Sections related to Oracle VM Server for SPARC

## [Citrix Xen]

Sections related to Citrix XenServer

## [Physical Servers]

Sections related to physical servers

## [Trend Micro OfficeScan]

Sections related to Trend Micro OfficeScan

## [Symantec]

Sections related to Symantec Endpoint Protection

## [McAfee]

Sections related to McAfee ePolicy Orchestrator

- Unless specified otherwise, the blade servers mentioned in this manual refer to PRIMERGY BX servers.
- Oracle Solaris may also be indicated as Solaris, Solaris Operating System, or Solaris OS.
- Oracle Solaris Zones may also be indicated as Solaris Containers or Solaris Container.
- Oracle VM Server for x86 may also be indicated as Oracle VM.

- In Resource Orchestrator, the following servers are referred to as SPARC Enterprise.
  - SPARC Enterprise M3000/M4000/M5000/M8000/M9000
  - SPARC Enterprise T5120/T5140/T5220/T5240/T5440
- In Resource Orchestrator, the following servers are referred to as SPARC M12.
  - SPARC M12-1/M12-2/M12-2S
- In Resource Orchestrator, the following servers are referred to as SPARC M10.
  - SPARC M10-1/M10-4/M10-4S
- Fujitsu SPARC M12 is the product name used for SPARC M12 when they are sold outside Japan.
- Fujitsu M10 is the product name used for SPARC M10 when they are sold outside Japan.
- In this manual, Fujitsu SPARC M12 is referred to as SPARC M12.
- In this manual, Fujitsu M10 is referred to as SPARC M10.
- In this manual, Fujitsu SPARC M12 and Fujitsu M10 are collectively referred to as SPARC M10/M12.
- In Resource Orchestrator, the following software is referred to as GLS.
  - PRIMECLUSTER GLS 4.4 or earlier
- In Resource Orchestrator, the following software is referred to as GDS.
  - PRIMECLUSTER GDS 4.4 or earlier
- References and character strings or values requiring emphasis are indicated using double quotes ( " ).
- GUI items are shown enclosed by brackets ( [ ] ).
- The order of selecting menus is indicated using [ ]-[ ] .
- Text to be entered by the user is indicated using bold text.
- Variables are indicated using italic text and underscores.
- The ellipses ("...") in menu names, indicating settings and operation window startup, are not shown.
- The ">" used in Windows is included in usage examples. When using Linux, read ">" as meaning "#".
- When using Resource Orchestrator on Windows 8 and Windows Server 2012, please note the following.  
When OS operations are explained in this manual, the examples assume OSs up to Windows 7 and Windows Server 2008. When using Resource Orchestrator on Windows 8 or Windows Server 2012, take explanations regarding the [Start] menu as indicating the [Apps] screen.  
The [Apps] screen can be displayed by right-clicking on the [Start] screen and then right-clicking [All apps].
- When using Resource Orchestrator on Windows 8.1 and Windows Server 2012 R2, please note the following.  
When OS operations are explained in this manual, the examples assume OSs up to Windows 7 and Windows Server 2008. When using Resource Orchestrator on Windows 8.1 or Windows Server 2012 R2, take explanations regarding the [Start] menu as indicating the [Apps] screen.  
The [Apps] screen can be displayed by swiping the [Start] screen from bottom to top, or clicking the downward facing arrow on the lower-left of the [Start] screen.

## Menus in the ROR console

Operations on the ROR console can be performed using either the menu bar or pop-up menus.

By convention, procedures described in this manual only refer to pop-up menus.

## Regarding Installation Folder Paths

The installation folder path may be given as C:\Fujitsu\ROR in this manual.

Replace it as shown below.

[Virtual Edition]

- When using Windows 64-bit (x64)  
C:\Program Files (x86)\Resource Orchestrator
- When using Windows 32-bit (x86)  
C:\Program Files\Resource Orchestrator

[Cloud Edition]

C:\Program Files (x86)\Resource Orchestrator

## Command Examples

The paths used in command examples may be abbreviated. When using commands, execute them using the paths in the "Name" column in the "Reference Guide (Command) VE" and the "Reference Guide (Command/XML) CE".

## Abbreviations

The following abbreviations are use in this manual.

### Category

#### Abbreviation

- Products

### Windows

#### Windows

- Microsoft(R) Windows Server(R) 2008 Standard
- Microsoft(R) Windows Server(R) 2008 Enterprise
- Microsoft(R) Windows Server(R) 2008 R2 Standard
- Microsoft(R) Windows Server(R) 2008 R2 Enterprise
- Microsoft(R) Windows Server(R) 2008 R2 Datacenter
- Microsoft(R) Windows Server(R) 2012 Standard
- Microsoft(R) Windows Server(R) 2012 Datacenter
- Microsoft(R) Windows Server(R) 2012 R2 Essentials
- Microsoft(R) Windows Server(R) 2012 R2 Standard
- Microsoft(R) Windows Server(R) 2012 R2 Datacenter
- Microsoft(R) Windows Server(R) 2016 Standard
- Microsoft(R) Windows Server(R) 2016 Datacenter
- Windows Vista(R) Business
- Windows Vista(R) Enterprise
- Windows Vista(R) Ultimate
- Windows(R) 7 Professional
- Windows(R) 7 Ultimate
- Windows(R) 8 Pro

- Windows(R) 8 Enterprise
- Windows(R) 8.1 Pro
- Windows(R) 8.1 Enterprise
- Windows(R) 10 Pro
- Windows(R) 10 Enterprise

#### Windows Server 2008

- Microsoft(R) Windows Server(R) 2008 Standard
- Microsoft(R) Windows Server(R) 2008 Enterprise
- Microsoft(R) Windows Server(R) 2008 R2 Standard
- Microsoft(R) Windows Server(R) 2008 R2 Enterprise
- Microsoft(R) Windows Server(R) 2008 R2 Datacenter

#### Windows 2008 x86 Edition

- Microsoft(R) Windows Server(R) 2008 Standard (x86)
- Microsoft(R) Windows Server(R) 2008 Enterprise (x86)

#### Windows 2008 x64 Edition

- Microsoft(R) Windows Server(R) 2008 Standard (x64)
- Microsoft(R) Windows Server(R) 2008 Enterprise (x64)

#### Windows Server 2012

- Microsoft(R) Windows Server(R) 2012 Standard
- Microsoft(R) Windows Server(R) 2012 Datacenter
- Microsoft(R) Windows Server(R) 2012 R2 Essentials
- Microsoft(R) Windows Server(R) 2012 R2 Standard
- Microsoft(R) Windows Server(R) 2012 R2 Datacenter

#### Windows Server 2016

- Microsoft(R) Windows Server(R) 2016 Standard
- Microsoft(R) Windows Server(R) 2016 Datacenter

#### Windows PE

- Microsoft(R) Windows(R) Preinstallation Environment

#### Windows Vista

- Windows Vista(R) Business
- Windows Vista(R) Enterprise
- Windows Vista(R) Ultimate

#### Windows 7

- Windows(R) 7 Professional
- Windows(R) 7 Ultimate

#### Windows 8

- Windows(R) 8 Pro
- Windows(R) 8 Enterprise

- Windows(R) 8.1 Pro
- Windows(R) 8.1 Enterprise

#### Windows 10

- Windows(R) 10 Pro
- Windows(R) 10 Enterprise

#### DOS

- Microsoft(R) MS-DOS(R) operating system, DR DOS(R)

#### MSFC

- Microsoft(R) Windows Server(R) 2008 Enterprise (x86, x64) Failover Cluster
- Microsoft(R) Windows Server(R) 2012 Standard Failover Cluster
- Microsoft(R) Windows Server(R) 2012 Datacenter Failover Cluster

#### SCVMM

- Microsoft(R) System Center Virtual Machine Manager 2008 R2
- Microsoft(R) System Center 2012 Virtual Machine Manager
- Microsoft(R) System Center 2012 R2 Virtual Machine Manager
- Microsoft(R) System Center 2016 Virtual Machine Manager

#### Linux

##### Linux

- Red Hat(R) Enterprise Linux(R) AS (v.4 for x86)
- Red Hat(R) Enterprise Linux(R) ES (v.4 for x86)
- Red Hat(R) Enterprise Linux(R) AS (v.4 for EM64T)
- Red Hat(R) Enterprise Linux(R) ES (v.4 for EM64T)
- Red Hat(R) Enterprise Linux(R) AS (4.5 for x86)
- Red Hat(R) Enterprise Linux(R) ES (4.5 for x86)
- Red Hat(R) Enterprise Linux(R) AS (4.5 for EM64T)
- Red Hat(R) Enterprise Linux(R) ES (4.5 for EM64T)
- Red Hat(R) Enterprise Linux(R) AS (4.6 for x86)
- Red Hat(R) Enterprise Linux(R) ES (4.6 for x86)
- Red Hat(R) Enterprise Linux(R) AS (4.6 for EM64T)
- Red Hat(R) Enterprise Linux(R) ES (4.6 for EM64T)
- Red Hat(R) Enterprise Linux(R) AS (4.7 for x86)
- Red Hat(R) Enterprise Linux(R) ES (4.7 for x86)
- Red Hat(R) Enterprise Linux(R) AS (4.7 for EM64T)
- Red Hat(R) Enterprise Linux(R) ES (4.7 for EM64T)
- Red Hat(R) Enterprise Linux(R) AS (4.8 for x86)
- Red Hat(R) Enterprise Linux(R) ES (4.8 for x86)
- Red Hat(R) Enterprise Linux(R) AS (4.8 for EM64T)

- Red Hat(R) Enterprise Linux(R) ES (4.8 for EM64T)
- Red Hat(R) Enterprise Linux(R) 5.0 (for x86)
- Red Hat(R) Enterprise Linux(R) 5.0 (for Intel64)
- Red Hat(R) Enterprise Linux(R) 5.1 (for x86)
- Red Hat(R) Enterprise Linux(R) 5.1 (for Intel64)
- Red Hat(R) Enterprise Linux(R) 5.2 (for x86)
- Red Hat(R) Enterprise Linux(R) 5.2 (for Intel64)
- Red Hat(R) Enterprise Linux(R) 5.3 (for x86)
- Red Hat(R) Enterprise Linux(R) 5.3 (for Intel64)
- Red Hat(R) Enterprise Linux(R) 5.4 (for x86)
- Red Hat(R) Enterprise Linux(R) 5.4 (for Intel64)
- Red Hat(R) Enterprise Linux(R) 5.5 (for x86)
- Red Hat(R) Enterprise Linux(R) 5.5 (for Intel64)
- Red Hat(R) Enterprise Linux(R) 5.6 (for x86)
- Red Hat(R) Enterprise Linux(R) 5.6 (for Intel64)
- Red Hat(R) Enterprise Linux(R) 5.7 (for x86)
- Red Hat(R) Enterprise Linux(R) 5.7 (for Intel64)
- Red Hat(R) Enterprise Linux(R) 5.8 (for x86)
- Red Hat(R) Enterprise Linux(R) 5.8 (for Intel64)
- Red Hat(R) Enterprise Linux(R) 5.9 (for x86)
- Red Hat(R) Enterprise Linux(R) 5.9 (for Intel64)
- Red Hat(R) Enterprise Linux(R) 5.10 (for x86)
- Red Hat(R) Enterprise Linux(R) 5.10 (for Intel64)
- Red Hat(R) Enterprise Linux(R) 5.11 (for x86)
- Red Hat(R) Enterprise Linux(R) 5.11 (for Intel64)
- Red Hat(R) Enterprise Linux(R) 6.0 (for x86)
- Red Hat(R) Enterprise Linux(R) 6.0 (for Intel64)
- Red Hat(R) Enterprise Linux(R) 6.1 (for x86)
- Red Hat(R) Enterprise Linux(R) 6.1 (for Intel64)
- Red Hat(R) Enterprise Linux(R) 6.2 (for x86)
- Red Hat(R) Enterprise Linux(R) 6.2 (for Intel64)
- Red Hat(R) Enterprise Linux(R) 6.3 (for x86)
- Red Hat(R) Enterprise Linux(R) 6.3 (for Intel64)
- Red Hat(R) Enterprise Linux(R) 6.4 (for x86)
- Red Hat(R) Enterprise Linux(R) 6.4 (for Intel64)
- Red Hat(R) Enterprise Linux(R) 6.5 (for x86)
- Red Hat(R) Enterprise Linux(R) 6.5 (for Intel64)
- Red Hat(R) Enterprise Linux(R) 6.6 (for x86)



- Red Hat(R) Enterprise Linux(R) 6.6 (for Intel64)
- Red Hat(R) Enterprise Linux(R) 6.7 (for x86)
- Red Hat(R) Enterprise Linux(R) 6.7 (for Intel64)
- Red Hat(R) Enterprise Linux(R) 6.8 (for x86)
- Red Hat(R) Enterprise Linux(R) 6.8 (for Intel64)
- Red Hat(R) Enterprise Linux(R) 7.0 (for Intel64)
- SUSE(R) Linux Enterprise Server 10 Service Pack 2 for x86
- SUSE(R) Linux Enterprise Server 10 Service Pack 2 for EM64T
- SUSE(R) Linux Enterprise Server 10 Service Pack 3 for x86
- SUSE(R) Linux Enterprise Server 10 Service Pack 3 for EM64T
- SUSE(R) Linux Enterprise Server 11 for x86
- SUSE(R) Linux Enterprise Server 11 for EM64T
- SUSE(R) Linux Enterprise Server 11 Service Pack 1 for x86
- SUSE(R) Linux Enterprise Server 11 Service Pack 1 for EM64T
- Oracle Enterprise Linux Release 6.7 for x86 (32bit)
- Oracle Enterprise Linux Release 6.7 for 86\_64 (64bit)
- Oracle Enterprise Linux Release 7.2 for x86 (32bit)
- Oracle Enterprise Linux Release 7.2 for x86\_64 (64bit)

#### Red Hat Enterprise Linux

- Red Hat(R) Enterprise Linux(R) AS (v.4 for x86)
- Red Hat(R) Enterprise Linux(R) ES (v.4 for x86)
- Red Hat(R) Enterprise Linux(R) AS (v.4 for EM64T)
- Red Hat(R) Enterprise Linux(R) ES (v.4 for EM64T)
- Red Hat(R) Enterprise Linux(R) AS (4.5 for x86)
- Red Hat(R) Enterprise Linux(R) ES (4.5 for x86)
- Red Hat(R) Enterprise Linux(R) AS (4.5 for EM64T)
- Red Hat(R) Enterprise Linux(R) ES (4.5 for EM64T)
- Red Hat(R) Enterprise Linux(R) AS (4.6 for x86)
- Red Hat(R) Enterprise Linux(R) ES (4.6 for x86)
- Red Hat(R) Enterprise Linux(R) AS (4.6 for EM64T)
- Red Hat(R) Enterprise Linux(R) ES (4.6 for EM64T)
- Red Hat(R) Enterprise Linux(R) AS (4.7 for x86)
- Red Hat(R) Enterprise Linux(R) ES (4.7 for x86)
- Red Hat(R) Enterprise Linux(R) AS (4.7 for EM64T)
- Red Hat(R) Enterprise Linux(R) ES (4.7 for EM64T)
- Red Hat(R) Enterprise Linux(R) AS (4.8 for x86)
- Red Hat(R) Enterprise Linux(R) ES (4.8 for x86)
- Red Hat(R) Enterprise Linux(R) AS (4.8 for EM64T)

- Red Hat(R) Enterprise Linux(R) ES (4.8 for EM64T)
- Red Hat(R) Enterprise Linux(R) 5.0 (for x86)
- Red Hat(R) Enterprise Linux(R) 5.0 (for Intel64)
- Red Hat(R) Enterprise Linux(R) 5.1 (for x86)
- Red Hat(R) Enterprise Linux(R) 5.1 (for Intel64)
- Red Hat(R) Enterprise Linux(R) 5.2 (for x86)
- Red Hat(R) Enterprise Linux(R) 5.2 (for Intel64)
- Red Hat(R) Enterprise Linux(R) 5.3 (for x86)
- Red Hat(R) Enterprise Linux(R) 5.3 (for Intel64)
- Red Hat(R) Enterprise Linux(R) 5.4 (for x86)
- Red Hat(R) Enterprise Linux(R) 5.4 (for Intel64)
- Red Hat(R) Enterprise Linux(R) 5.5 (for x86)
- Red Hat(R) Enterprise Linux(R) 5.5 (for Intel64)
- Red Hat(R) Enterprise Linux(R) 5.6 (for x86)
- Red Hat(R) Enterprise Linux(R) 5.6 (for Intel64)
- Red Hat(R) Enterprise Linux(R) 5.7 (for x86)
- Red Hat(R) Enterprise Linux(R) 5.7 (for Intel64)
- Red Hat(R) Enterprise Linux(R) 5.8 (for x86)
- Red Hat(R) Enterprise Linux(R) 5.8 (for Intel64)
- Red Hat(R) Enterprise Linux(R) 5.9 (for x86)
- Red Hat(R) Enterprise Linux(R) 5.9 (for Intel64)
- Red Hat(R) Enterprise Linux(R) 5.10 (for x86)
- Red Hat(R) Enterprise Linux(R) 5.10 (for Intel64)
- Red Hat(R) Enterprise Linux(R) 5.11 (for x86)
- Red Hat(R) Enterprise Linux(R) 5.11 (for Intel64)
- Red Hat(R) Enterprise Linux(R) 6.0 (for x86)
- Red Hat(R) Enterprise Linux(R) 6.0 (for Intel64)
- Red Hat(R) Enterprise Linux(R) 6.1 (for x86)
- Red Hat(R) Enterprise Linux(R) 6.1 (for Intel64)
- Red Hat(R) Enterprise Linux(R) 6.2 (for x86)
- Red Hat(R) Enterprise Linux(R) 6.2 (for Intel64)
- Red Hat(R) Enterprise Linux(R) 6.3 (for x86)
- Red Hat(R) Enterprise Linux(R) 6.3 (for Intel64)
- Red Hat(R) Enterprise Linux(R) 6.4 (for x86)
- Red Hat(R) Enterprise Linux(R) 6.4 (for Intel64)
- Red Hat(R) Enterprise Linux(R) 6.5 (for x86)
- Red Hat(R) Enterprise Linux(R) 6.5 (for Intel64)
- Red Hat(R) Enterprise Linux(R) 6.6 (for x86)

- Red Hat(R) Enterprise Linux(R) 6.6 (for Intel64)
- Red Hat(R) Enterprise Linux(R) 6.7 (for x86)
- Red Hat(R) Enterprise Linux(R) 6.7 (for Intel64)
- Red Hat(R) Enterprise Linux(R) 6.8 (for x86)
- Red Hat(R) Enterprise Linux(R) 6.8 (for Intel64)
- Red Hat(R) Enterprise Linux(R) 7.0 (for Intel64)

#### Red Hat Enterprise Linux 5

- Red Hat(R) Enterprise Linux(R) 5.0 (for x86)
- Red Hat(R) Enterprise Linux(R) 5.0 (for Intel64)
- Red Hat(R) Enterprise Linux(R) 5.1 (for x86)
- Red Hat(R) Enterprise Linux(R) 5.1 (for Intel64)
- Red Hat(R) Enterprise Linux(R) 5.2 (for x86)
- Red Hat(R) Enterprise Linux(R) 5.2 (for Intel64)
- Red Hat(R) Enterprise Linux(R) 5.3 (for x86)
- Red Hat(R) Enterprise Linux(R) 5.3 (for Intel64)
- Red Hat(R) Enterprise Linux(R) 5.4 (for x86)
- Red Hat(R) Enterprise Linux(R) 5.4 (for Intel64)
- Red Hat(R) Enterprise Linux(R) 5.5 (for x86)
- Red Hat(R) Enterprise Linux(R) 5.5 (for Intel64)
- Red Hat(R) Enterprise Linux(R) 5.6 (for x86)
- Red Hat(R) Enterprise Linux(R) 5.6 (for Intel64)
- Red Hat(R) Enterprise Linux(R) 5.7 (for x86)
- Red Hat(R) Enterprise Linux(R) 5.7 (for Intel64)
- Red Hat(R) Enterprise Linux(R) 5.8 (for x86)
- Red Hat(R) Enterprise Linux(R) 5.8 (for Intel64)
- Red Hat(R) Enterprise Linux(R) 5.9 (for x86)
- Red Hat(R) Enterprise Linux(R) 5.9 (for Intel64)
- Red Hat(R) Enterprise Linux(R) 5.10 (for x86)
- Red Hat(R) Enterprise Linux(R) 5.10 (for Intel64)
- Red Hat(R) Enterprise Linux(R) 5.11 (for x86)
- Red Hat(R) Enterprise Linux(R) 5.11 (for Intel64)

#### Red Hat Enterprise Linux 6

- Red Hat(R) Enterprise Linux(R) 6.0 (for x86)
- Red Hat(R) Enterprise Linux(R) 6.0 (for Intel64)
- Red Hat(R) Enterprise Linux(R) 6.1 (for x86)
- Red Hat(R) Enterprise Linux(R) 6.1 (for Intel64)
- Red Hat(R) Enterprise Linux(R) 6.2 (for x86)
- Red Hat(R) Enterprise Linux(R) 6.2 (for Intel64)

- Red Hat(R) Enterprise Linux(R) 6.3 (for x86)
- Red Hat(R) Enterprise Linux(R) 6.3 (for Intel64)
- Red Hat(R) Enterprise Linux(R) 6.4 (for x86)
- Red Hat(R) Enterprise Linux(R) 6.4 (for Intel64)
- Red Hat(R) Enterprise Linux(R) 6.5 (for x86)
- Red Hat(R) Enterprise Linux(R) 6.5 (for Intel64)
- Red Hat(R) Enterprise Linux(R) 6.6 (for x86)
- Red Hat(R) Enterprise Linux(R) 6.6 (for Intel64)
- Red Hat(R) Enterprise Linux(R) 6.7 (for x86)
- Red Hat(R) Enterprise Linux(R) 6.7 (for Intel64)
- Red Hat(R) Enterprise Linux(R) 6.8 (for x86)
- Red Hat(R) Enterprise Linux(R) 6.8 (for Intel64)

#### Red Hat Enterprise Linux 7

- Red Hat(R) Enterprise Linux(R) 7.0 (for Intel64)

#### SUSE Linux Enterprise Server

- SUSE(R) Linux Enterprise Server 10 Service Pack 2 for x86
- SUSE(R) Linux Enterprise Server 10 Service Pack 2 for EM64T
- SUSE(R) Linux Enterprise Server 10 Service Pack 3 for x86
- SUSE(R) Linux Enterprise Server 10 Service Pack 3 for EM64T
- SUSE(R) Linux Enterprise Server 11 for x86
- SUSE(R) Linux Enterprise Server 11 for EM64T
- SUSE(R) Linux Enterprise Server 11 Service Pack 1 for x86
- SUSE(R) Linux Enterprise Server 11 Service Pack 1 for EM64T

#### Oracle Enterprise Linux

- Oracle Enterprise Linux Release 6.7 for x86 (32bit)
- Oracle Enterprise Linux Release 6.7 for 86\_64 (64bit)
- Oracle Enterprise Linux Release 7.2 for x86 (32bit)
- Oracle Enterprise Linux Release 7.2 for x86\_64 (64bit)

### KVM

#### RHEL-KVM

- Red Hat(R) Enterprise Linux(R) 6.1 (for x86) Virtual Machine Function
- Red Hat(R) Enterprise Linux(R) 6.1 (for Intel64) Virtual Machine Function
- Red Hat(R) Enterprise Linux(R) 6.2 (for x86) Virtual Machine Function
- Red Hat(R) Enterprise Linux(R) 6.2 (for Intel64) Virtual Machine Function
- Red Hat(R) Enterprise Linux(R) 6.3 (for x86) Virtual Machine Function
- Red Hat(R) Enterprise Linux(R) 6.3 (for Intel64) Virtual Machine Function
- Red Hat(R) Enterprise Linux(R) 6.4 (for x86) Virtual Machine Function

- Red Hat(R) Enterprise Linux(R) 6.4 (for Intel64) Virtual Machine Function
- Red Hat(R) Enterprise Linux(R) 6.5 (for x86) Virtual Machine Function
- Red Hat(R) Enterprise Linux(R) 6.5 (for Intel64) Virtual Machine Function
- Red Hat(R) Enterprise Linux(R) 6.6 (for x86) Virtual Machine Function
- Red Hat(R) Enterprise Linux(R) 6.6 (for Intel64) Virtual Machine Function
- Red Hat(R) Enterprise Linux(R) 6.7 (for x86) Virtual Machine Function
- Red Hat(R) Enterprise Linux(R) 6.7 (for Intel64) Virtual Machine Function
- Red Hat(R) Enterprise Linux(R) 6.8 (for x86) Virtual Machine Function
- Red Hat(R) Enterprise Linux(R) 6.8 (for Intel64) Virtual Machine Function

## Xen

### RHEL5-Xen

- Red Hat(R) Enterprise Linux(R) 5.4 (for x86) Linux Virtual Machine Function
- Red Hat(R) Enterprise Linux(R) 5.4 (for Intel64) Linux Virtual Machine Function

### Xen

- Citrix XenServer(R) 5.5
- Citrix Essentials(TM) for XenServer 5.5, Enterprise Edition
- Citrix XenServer(R) 6.0
- Citrix Essentials(TM) for XenServer 6.0, Enterprise Edition
- Red Hat(R) Enterprise Linux(R) 5.3 (for x86) Linux Virtual Machine Function
- Red Hat(R) Enterprise Linux(R) 5.3 (for Intel64) Linux Virtual Machine Function
- Red Hat(R) Enterprise Linux(R) 5.4 (for x86) Linux Virtual Machine Function
- Red Hat(R) Enterprise Linux(R) 5.4 (for Intel64) Linux Virtual Machine Function
- Red Hat(R) Enterprise Linux(R) 5.5 (for x86) Linux Virtual Machine Function
- Red Hat(R) Enterprise Linux(R) 5.5 (for Intel64) Linux Virtual Machine Function
- Red Hat(R) Enterprise Linux(R) 5.6 (for x86) Linux Virtual Machine Function
- Red Hat(R) Enterprise Linux(R) 5.6 (for Intel64) Linux Virtual Machine Function
- Red Hat(R) Enterprise Linux(R) 5.7 (for x86) Linux Virtual Machine Function
- Red Hat(R) Enterprise Linux(R) 5.7 (for Intel64) Linux Virtual Machine Function
- Red Hat(R) Enterprise Linux(R) 5.8 (for x86) Linux Virtual Machine Function
- Red Hat(R) Enterprise Linux(R) 5.8 (for Intel64) Linux Virtual Machine Function
- Red Hat(R) Enterprise Linux(R) 5.9 (for x86) Linux Virtual Machine Function
- Red Hat(R) Enterprise Linux(R) 5.9 (for Intel64) Linux Virtual Machine Function
- Red Hat(R) Enterprise Linux(R) 5.10 (for x86) Linux Virtual Machine Function
- Red Hat(R) Enterprise Linux(R) 5.10 (for Intel64) Linux Virtual Machine Function
- Red Hat(R) Enterprise Linux(R) 5.11 (for x86) Linux Virtual Machine Function
- Red Hat(R) Enterprise Linux(R) 5.11 (for Intel64) Linux Virtual Machine Function

## Citrix

### Citrix XenServer

- Citrix XenServer(R) 6.0
- Citrix XenServer(R) 6.0.2
- Citrix XenServer(R) 6.1.0
- Citrix XenServer(R) 6.2.0
- Citrix XenServer(R) 7.1 LTSR
- Citrix XenServer(R) 7.2

### XenServer 6

- Citrix XenServer(R) 6.0
- Citrix Essentials(TM) for XenServer 6.0, Enterprise Edition

### Citrix XenApp

- Citrix XenApp(R)

### Citrix XenDesktop

- Citrix XenDesktop(R)

## Oracle Solaris

### Solaris

- Oracle Solaris 10 05/09 (Update7)
- Oracle Solaris 11 11/11
- Oracle Solaris 11.1
- Oracle Solaris 11.2
- Oracle Solaris 11.3

## Oracle VM

### OVM for x86 2.2

- Oracle(R) VM Server for x86 2.2

### OVM for x86 3.x

#### OVM for x86 3.2

- Oracle VM Server for x86 v3.2.x

#### OVM for x86 3.3

- Oracle VM Server for x86 v3.3.x

### OVM for SPARC

- Oracle(R) VM Server for SPARC

### Oracle VM Manager

- Oracle(R) VM Manager

## EMC

### Navisphere

- EMC Navisphere Manager

#### Solutions Enabler

- EMC Solutions Enabler

#### VMware

##### VMware vSphere or vSphere

- VMware vSphere(R) 4
- VMware vSphere(R) 4.1
- VMware vSphere(R) 5
- VMware vSphere(R) 5.1
- VMware vSphere(R) 5.5
- VMware vSphere(R) 6
- VMware vSphere(R) 6.5

##### VMware ESX

- VMware(R) ESX(R)

##### VMware ESX 4

- VMware(R) ESX(R) 4

##### VMware ESXi

- VMware(R) ESXi(TM)

##### VMware ESXi 5.0

- VMware(R) ESXi(TM) 5.0

##### VMware ESXi 5.1

- VMware(R) ESXi(TM) 5.1

##### VMware ESXi 5.5

- VMware(R) ESXi(TM) 5.5

##### VMware ESXi 6.0

- VMware(R) ESXi(TM) 6.0

##### VMware ESXi 6.5

- VMware(R) ESXi(TM) 6.5

##### VMware Infrastructure Client

- VMware(R) Infrastructure Client

##### VMware Tools

- VMware(R) Tools

##### VMware vSphere 4.0 or vSphere 4.0

- VMware vSphere(R) 4.0

##### VMware vSphere 4.1 or vSphere 4.1

- VMware vSphere(R) 4.1

##### VMware vSphere 5 or vSphere 5

- VMware vSphere(R) 5

#### VMware vSphere 5.1 or vSphere 5.1

- VMware vSphere(R) 5.1

#### VMware vSphere 5.5 or vSphere 5.5

- VMware vSphere(R) 5.5

#### VMware vSphere 6.0 or vSphere 6.0

- VMware vSphere(R) 6.0

#### VMware vSphere 6.5 or vSphere 6.5

- VMware vSphere(R) 6.5

#### VMware vSphere Client or vSphere Client

- VMware vSphere(R) Client

#### VMware vCenter Server or vCenter Server

- VMware(R) vCenter(TM) Server

#### VMware vCenter Server Appliance or vCenter Server Appliance

- VMware(R) vCenter(TM) Server Appliance(TM)

#### VMware vClient

- VMware(R) vClient(TM)

#### VMware FT

- VMware(R) Fault Tolerance

#### VMware DRS

- VMware(R) Distributed Resource Scheduler

#### VMware DPM

- VMware(R) Distributed Power Management

#### VMware Storage VMotion

- VMware(R) Storage VMotion

#### VMware vDS

- VMware(R) vNetwork Distributed Switch

#### VMware Horizon View

- VMware Horizon View 5.2.x
- VMware Horizon View 5.3.x
- VMware Horizon 6.0 (with View)

#### VMware VSAN or VSAN

- VMware(R) Virtual SAN(TM)

#### VMware vSphere Web Client or vSphere Web Client

- VMware vSphere(R) Web Client

#### VMware NSX

- VMware NSX(R)
- VMware NSX(R) for vSphere(R)



- VMware NSX(R) for vSphere(R) 6.3

#### VMware NSX Controller or NSX Controller

- VMware NSX(R) Controller(TM)

#### VMware NSX Edge or NSX Edge

- VMware NSX(R) Edge(TM)

#### VMware NSX Manager or NSX Manager

- VMware NSX(R) Manager(TM)

### Excel

#### Excel

- Microsoft(R) Office Excel(R) 2007
- Microsoft(R) Office Excel(R) 2010
- Microsoft(R) Office Excel(R) 2013

#### Excel 2007

- Microsoft(R) Office Excel(R) 2007

#### Excel 2010

- Microsoft(R) Office Excel(R) 2010

#### Excel 2013

- Microsoft(R) Office Excel(R) 2013

### Browsers

#### Internet Explorer

- Windows(R) Internet Explorer(R) 9
- Windows(R) Internet Explorer(R) 10
- Internet Explorer(R) 11

#### Firefox

- Firefox(R)

### Antivirus Software

#### OfficeScan

- Trend Micro OfficeScan

#### McAfee ePolicy Orchestrator

- McAfee(R) ePolicy Orchestrator(R)

#### McAfee ePO

- McAfee(R) ePolicy Orchestrator(R)

#### McAfee Agent

- McAfee(R) Agent

#### McAfee Endpoint Security

- McAfee(R) Endpoint Security

#### Symantec Endpoint Protection

- Symantec(TM) Endpoint Protection

#### Symantec Endpoint Protection Manager

- Symantec(TM) Endpoint Protection Manager

#### BMC

##### BladeLogic

- BMC BladeLogic Server Automation

#### ETERNUS

##### ESC

- ETERNUS SF Storage Cruiser

#### ServerView

##### ServerView Agent

- ServerView SNMP Agents for MS Windows (32bit-64bit)
- ServerView Agents Linux
- ServerView Agents VMware for VMware ESX Server

##### VIOM

- ServerView Virtual-IO Manager

##### ISM

- ServerView Infrastructure Manager

##### SVOM

- ServerView Operations Manager

##### SVFAB

- ServerView Fabric Manager

##### RCVE

- ServerView Resource Coordinator VE

##### ROR

- FUJITSU Software ServerView Resource Orchestrator

##### ROR VE

- FUJITSU Software ServerView Resource Orchestrator Virtual Edition

##### ROR CE

- FUJITSU Software ServerView Resource Orchestrator Cloud Edition

##### Resource Coordinator

- Systemwalker Resource Coordinator
- Systemwalker Resource Coordinator Virtual server Edition

## Resource Coordinator VE

- ServerView Resource Coordinator VE
- Systemwalker Resource Coordinator Virtual server Edition

## Resource Orchestrator

- FUJITSU Software ServerView Resource Orchestrator

## Export Administration Regulation Declaration

Exportation/release of this document may require necessary procedures in accordance with the regulations of your resident country and/or US export control laws.

## Trademark Information

- BMC, BMC Software, and the BMC Software logo are the exclusive properties of BMC Software, Inc., are registered with the U.S. Patent and Trademark Office, and may be registered or pending registration in other countries.
- Citrix(R), Citrix XenApp(R), Citrix XenDesktop(R), Citrix XenServer(R), and Citrix Essentials(TM) are trademarks of Citrix Systems, Inc. and/or one of its subsidiaries, and may be registered in the United States Patent and Trademark Office and in other countries.
- EMC, EMC<sup>2</sup>, CLARiiON, Symmetrix, and Navisphere are trademarks or registered trademarks of EMC Corporation.
- HP is a registered trademark of Hewlett-Packard Company.
- Linux is a trademark or registered trademark of Linus Torvalds in the United States and other countries.
- McAfee and the McAfee logo, ePolicy Orchestrator, and McAfee ePO are trademarks or registered trademarks of McAfee, LLC or its subsidiaries in the United States and other countries.
- Microsoft, Windows, MS-DOS, Windows Server, Windows Vista, Excel, Active Directory, and Internet Explorer are either registered trademarks or trademarks of Microsoft Corporation in the United States and other countries.
- Firefox is a trademark or registered trademark of the Mozilla Foundation in the United States and other countries.
- NetApp is a registered trademark of Network Appliance, Inc. in the US and other countries. Data ONTAP, Network Appliance, and Snapshot are trademarks of Network Appliance, Inc. in the US and other countries.
- Oracle and Java are registered trademarks of Oracle and/or its affiliates.
- Red Hat, RPM and all Red Hat-based trademarks and logos are trademarks or registered trademarks of Red Hat, Inc. in the United States and other countries.
- SUSE and the SUSE logo are trademarks of SUSE IP Development Limited or its subsidiaries or affiliates.
- Symantec and the Symantec logo are trademarks or registered trademarks of the Symantec Corporation or its subsidiaries in the United States and other countries.
- TREND MICRO, OfficeScan are registered trademarks of Trend Micro, Inc.
- VMware, the VMware "boxes" logo and design, Virtual SMP, and VMotion are registered trademarks or trademarks of VMware, Inc. in the United States and/or other jurisdictions.
- ServerView and Systemwalker are registered trademarks of FUJITSU LIMITED.
- All other brand and product names are trademarks or registered trademarks of their respective owners.

## Notices

- The contents of this manual shall not be reproduced without express written permission from FUJITSU LIMITED.
- The contents of this manual are subject to change without notice.

## Revision History

Month/Year Issued, Edition	Manual Code
June 2013, First Edition	J2X1-7768-01ENZ0(00)
August 2013, Edition 1.1	J2X1-7768-01ENZ0(01)
December 2013, Second Edition	J2X1-7768-02ENZ0(00)
June 2014, Edition 2.1	J2X1-7768-02ENZ0(01)
April 2015, Third Edition	J2X1-7768-03ENZ0(00)
July 2015, Edition 3.1	J2X1-7768-03ENZ0(01)
December 2015, Edition 3.2	J2X1-7768-03ENZ0(02)
January 2016, Edition 3.3	J2X1-7768-03ENZ0(03)
June 2016, Edition 3.4	J2X1-7768-03ENZ0(04)
September 2016, Edition 3.5	J2X1-7768-03ENZ0(05)
December 2016, Edition 3.6	J2X1-7768-03ENZ0(06)
February 2017, Edition 3.7	J2X1-7768-03ENZ0(07)
April 2017, Fourth Edition	J2X1-7768-04ENZ0(00)
May 2017, Edition 4.1	J2X1-7768-04ENZ0(01)
August 2017, Edition 4.2	J2X1-7768-04ENZ0(02)
September 2017, Edition 4.3	J2X1-7768-04ENZ0(03)
December 2017, Edition 4.4	J2X1-7768-04ENZ0(04)
February 2018, Edition 4.5	J2X1-7768-04ENZ0(05)
March 2018, Edition 4.6	J2X1-7768-04ENZ0(06)

## Copyright

Copyright 2013-2018 FUJITSU LIMITED

# Contents

---

Chapter 1 Structure of the Manuals.....	1
1.1 Manuals.....	4
1.2 Help.....	6
Chapter 2 How to Use the Manuals.....	7
2.1 Guidelines for Use of the Manuals.....	7
2.1.1 Overview.....	7
2.1.2 Design.....	7
2.1.3 Installation.....	8
2.1.4 Operation.....	10
2.1.5 Maintenance.....	12
2.1.6 Troubleshooting.....	13
2.1.7 Transferring L-Servers to the Quarantine Network.....	14
2.1.8 VMware NSX.....	14
2.2 Symbols Used in the Manuals.....	15

# Chapter 1 Structure of the Manuals

This chapter explains the structure of the manuals for Resource Orchestrator.

The target product of this document is as follows.

- FUJITSU Software ServerView Resource Orchestrator V3.3.0


## Intended Users [Virtual Edition]

FUJITSU Software ServerView Resource Orchestrator Virtual Edition users are privileged users. Privileged users can perform all operations on resources.

## Resource Orchestrator Documentation Road Map [Virtual Edition]

The documentation road map for Resource Orchestrator is as shown below.

Figure 1.1 Resource Orchestrator Documentation Road Map [Virtual Edition]



## Intended Users [Cloud Edition]

The users who perform setup and operations of infrastructure operation platforms using FUJITSU Software ServerView Resource Orchestrator Cloud Edition are shown below.

For details on the roles of Resource Orchestrator users, refer to "Chapter 4 User Roles in Resource Orchestrator [Cloud Edition]" in the "Overview".

Table 1.1 Users


Department	Users	Overview
Service user department	Tenant user	A person who performs configuration, operation, or maintenance of business systems. Systems are configured on an allocated logical platform (L-Platform).
	Tenant administrator	The manager of a service user department which performs configuration, operation, and maintenance of a logical platform (L-Platform). They manage tenant users and logical platforms (L-Platforms).
Service provider department	Infrastructure administrator	A manager of a service provision department which performs configuration, operation, and maintenance of an entire infrastructure.

Department	Users	Overview
		Logical platforms (L-Platform) are allocated according to requests from service user departments.
	System administrator	A system administrator who manages the entire system. They install Resource Orchestrator and configure the necessary settings. OS administrator privileges are required for these operations. Normally the roles of the infrastructure administrator and system administrator are performed concurrently.

### Resource Orchestrator Documentation Road Map [Cloud Edition]

The documentation road map for Resource Orchestrator is as shown below.

Figure 1.2 Resource Orchestrator Documentation Road Map [Cloud Edition]



**Roles not in the Figure**

Refer to the user role manuals displayed in the table below for roles that are not in the diagram

Roles not in the Figure	Roles in the Figure
Infrastructure operator	Infrastructure administrator



Roles not in the Figure	Roles in the Figure
Infrastructure monitor	
Tenant operator Tenant monitor	Tenant administrator
(Dual-Role) Administrator (Dual-Role) Operator (Dual-Role) Monitor	Infrastructure administrator and Tenant administrator

## 1.1 Manuals

The following manuals are provided with Resource Orchestrator. Refer to them when necessary.

### Common to all Editions

The following manuals are common to all editions of Resource Orchestrator.

Table 1.2 Manual Name, Abbreviated Form, and Purpose [Common to all editions]

Manual Name	Abbreviated Form	Purpose
FUJITSU Software ServerView Resource Orchestrator V3.3.0 Documentation Road Map	Documentation Road Map	<b>Read this first.</b> Read this when you want to know which manuals to read and in which order.
FUJITSU Software ServerView Resource Orchestrator V3.3.0 Release Notes	Release Notes	Explains the overview, content, and details (reference locations in the manuals) of functions added from FUJITSU Software ServerView Resource Orchestrator V3.3.0.
FUJITSU Software ServerView Resource Orchestrator V3.3.0 Overview	Overview	Read this when you want an overview and to get the basic knowledge required for operation and use of ServerView Resource Orchestrator.
FUJITSU Software ServerView Resource Orchestrator V3.3.0 Messages	Messages	Read this when you want detailed information about the corrective actions for displayed messages.
FUJITSU Software ServerView Resource Orchestrator V3.3.0 Troubleshooting	Troubleshooting	Read this when you want information about Troubleshooting.
FUJITSU Software ServerView Resource Orchestrator V3.3.0 Glossary	Glossary	Read this when you want to learn the meanings of the terms used in Resource Orchestrator.

### Virtual Edition

The following manuals are provided with Virtual Edition.

Table 1.3 Manual Name, Abbreviated Form, and Purpose [Virtual Edition]

Manual Name	Abbreviated Form	Purpose
FUJITSU Software ServerView Resource Orchestrator Virtual Edition V3.3.0 Design Guide	Design Guide VE	Read this when you want information about the purposes and uses of basic functions, and how to design systems using Resource Orchestrator.
FUJITSU Software ServerView Resource Orchestrator Virtual Edition V3.3.0 Setup Guide	Setup Guide VE	Read this when you want information about how to install Resource Orchestrator.

Manual Name	Abbreviated Form	Purpose
FUJITSU Software ServerView Resource Orchestrator Virtual Edition V3.3.0 Operation Guide	Operation Guide VE	Read this when you want information about how to operate systems that you have configured.
FUJITSU Software ServerView Resource Orchestrator Virtual Edition V3.3.0 User's Guide	User's Guide VE	Read this when you want information about how to operate the GUI.
FUJITSU Software ServerView Resource Orchestrator Virtual Edition V3.3.0 Reference Guide (Command)	Reference Guide (Command) VE	Read this when you want information about how to use commands.

## Cloud Edition

The following manuals are provided with Cloud Edition.

In some cases, this manual may ask you to refer to the Virtual Edition manuals.

Refer to them when necessary.

Table 1.4 Manual Name, Abbreviated Form, and Purpose [Cloud Edition]

Manual Name	Abbreviated Form	Purpose
FUJITSU Software ServerView Resource Orchestrator Cloud Edition V3.3.0 Quick Start Guide	Quick Start Guide CE	Read this when you want information about how to set up Resource Orchestrator.
FUJITSU Software ServerView Resource Orchestrator Cloud Edition V3.3.0 Design Guide	Design Guide CE	Read this when you want information about the purposes and uses of basic functions, and how to design systems using Resource Orchestrator.
FUJITSU Software ServerView Resource Orchestrator Cloud Edition V3.3.0 Setup Guide	Setup Guide CE	Read this when you want information about how to install Resource Orchestrator.
FUJITSU Software ServerView Resource Orchestrator Cloud Edition V3.3.0 Operation Guide	Operation Guide CE	Read this when you want information about how to operate systems that you have configured.
FUJITSU Software ServerView Resource Orchestrator Cloud Edition V3.3.0 User's Guide for Infrastructure Administrators	User's Guide for Infrastructure Administrators CE	Read this when you want information about how to operate the GUI (except for the [Resource] tab) used by infrastructure administrators and dual-role administrators.
FUJITSU Software ServerView Resource Orchestrator Cloud Edition V3.3.0 User's Guide for Infrastructure Administrators (Resource Management)	User's Guide for Infrastructure Administrators (Resource Management) CE	Read this when you want information about how to operate the GUI (the [Resource] tab) used by infrastructure administrators and dual-role administrators.
FUJITSU Software ServerView Resource Orchestrator Cloud Edition V3.3.0 User's Guide for Tenant Administrators	User's Guide for Tenant Administrators CE	Read this when you want information about how to operate the GUI used by tenant administrators.
FUJITSU Software ServerView Resource Orchestrator Cloud Edition V3.3.0 User's Guide for Tenant Users	User's Guide for Tenant Users CE	Read this when you want information about how to operate the GUI used by tenant users.
FUJITSU Software ServerView Resource Orchestrator Cloud Edition V3.3.0 Reference Guide (Command/XML)	Reference Guide (Command/XML) CE	Read this when you want information about the XML files and the commands used by infrastructure administrators and dual-role administrators for resource management operations.

Manual Name	Abbreviated Form	Purpose
FUJITSU Software ServerView Resource Orchestrator Cloud Edition V3.3.0 Reference Guide (API)	Reference Guide (API) CE	Read this when you want information about the APIs used by infrastructure administrators and dual-role administrators.
FUJITSU Software ServerView Resource Orchestrator V3.3.0 NS Option Instruction	NS Option Instruction	Read this when you install FUJITSU Software ServerView Resource Orchestrator NS Option (hereinafter NS Option).
FUJITSU Software ServerView Resource Orchestrator V3.3.0 DR Option Instruction	DR Option Instruction	Read this when you install FUJITSU Software ServerView Resource Orchestrator DR Option (hereinafter DR Option).
FUJITSU Software ServerView Resource Orchestrator Cloud Edition V3.3.0 [VMware] Automatic Quarantining Function Setup Guide	[VMware] Automatic Quarantining Function Setup Guide	Read this when you want to know how to install and configure the function that transfers L-Servers on which viruses or malware have been detected to the quarantine network and recovers quarantined L-Servers, in an L-Server (VMware) environment managed using Resource Orchestrator.
FUJITSU Software ServerView Resource Orchestrator Cloud Edition V3.3.0 [Hyper-V] Automatic Quarantining Function Setup Guide	[Hyper-V] Automatic Quarantining Function Setup Guide	Read this when you want to know how to install and configure the function that transfers L-Servers on which viruses or malware have been detected to the quarantine network and recovers quarantined L-Servers, in an L-Server (Hyper-V) environment managed using Resource Orchestrator.
FUJITSU Software ServerView Resource Orchestrator Cloud Edition V3.3.0 [Citrix Xen] Automatic Quarantining Function Setup Guide	[Citrix Xen] Automatic Quarantining Function Setup Guide	Read this when you want to know how to install and configure the function that transfers L-Servers on which viruses or malware have been detected to the quarantine network and recovers quarantined L-Servers, in an L-Server (Citrix Xen) environment managed using Resource Orchestrator.
FUJITSU Software ServerView Resource Orchestrator Cloud Edition V3.3.0 Automatic Quarantining Function User's Guide	Automatic Quarantining Function User's Guide	Read this when transferring L-Servers on which viruses or malware have been detected to the quarantine network, and when recovering quarantined L-Servers, in an L-Server environment managed using Resource Orchestrator.
FUJITSU Software ServerView Resource Orchestrator Cloud Edition V3.3.0 [VMware] VMware NSX Usage Guide	VMware NSX Usage Guide	Read this when using VMware NSX in a virtual L-Server (VMware) environment managed using Resource Orchestrator.

## 1.2 Help

The Resource Orchestrator Help can be displayed using the Help menu or the Help button.

For the operation procedure and details for entry in the individual windows, refer to the Help.

# Chapter 2 How to Use the Manuals

This chapter explains how to use the manuals of Resource Orchestrator.

## 2.1 Guidelines for Use of the Manuals

This section explains the guidelines for use of the manuals based on the user's purpose.

↓ shows which manuals to read and the order to read them in.

### 2.1.1 Overview

#### Understanding Resource Orchestrator

Figure 2.1 Understanding Resource Orchestrator [Virtual Edition]




Figure 2.2 Understanding Resource Orchestrator [Cloud Edition]




Table 2.1 Understanding Resource Orchestrator [Virtual Edition] [Cloud Edition]

Manual Name [Virtual Edition]	Manual Name [Cloud Edition]	Reader Tasks
Release Notes		- Learn about the functions added since the previous version
Overview		- Learn the functional overview of Resource Orchestrator
Glossary		- Learn the basic terms used in Resource Orchestrator

### 2.1.2 Design

## Performing Design for Resource Orchestrator

Figure 2.3 Design for Resource Orchestrator [Virtual Edition]




Figure 2.4 Design for Resource Orchestrator [Cloud Edition]




Table 2.2 Design for Resource Orchestrator [Virtual Edition] [Cloud Edition]

Manual Name [Virtual Edition]	Manual Name [Cloud Edition]	Reader Tasks
Design Guide VE	Design Guide CE	- Performing Design for Resource Orchestrator - Perform Resource Orchestrator pre-setup preparations before installation
-	NS Option Instruction	Design the environment using NS Option
-	DR Option Instruction	Design the environment using DR Option

## 2.1.3 Installation

### Setting Up Resource Orchestrator

Figure 2.5 Setup of Resource Orchestrator [Virtual Edition]




Table 2.3 Setup of Resource Orchestrator [Virtual Edition]

Manual Name [Virtual Edition]	Manual Name [Cloud Edition]	Reader Tasks
Setup Guide VE	-	- Learn the setup flow

Manual Name [Virtual Edition]	Manual Name [Cloud Edition]	Reader Tasks
		<ul style="list-style-type: none"> <li>- Install/uninstall the admin server</li> <li>- Perform set up of the admin server</li> <li>- Perform setup of managed servers</li> </ul>
User's Guide VE	-	Perform operations on the [Resource] tab of the ROR console
Reference Guide (Command) VE	-	Learn how to use the commands provided by Resource Orchestrator

Figure 2.6 Setup of Resource Orchestrator [Cloud Edition]




Table 2.4 Setup of Resource Orchestrator by System Administrators [Cloud Edition]

Manual Name [Virtual Edition]	Manual Name [Cloud Edition]	Reader Tasks
-	Quick Start Guide CE	- Learn the setup flow
-	Setup Guide CE	<ul style="list-style-type: none"> <li>- Learn the setup flow</li> <li>- Install/uninstall the admin server</li> <li>- Perform set up of the admin server</li> </ul>
-	NS Option Instruction	Set up the environment using NS Option
-	DR Option Instruction	Set up the environment using DR Option

Table 2.5 Setup of Resource Orchestrator by Infrastructure Administrators [Cloud Edition]

Manual Name [Virtual Edition]	Manual Name [Cloud Edition]	Reader Tasks
-	Quick Start Guide CE	- Learn the setup flow
-	Setup Guide CE	<ul style="list-style-type: none"> <li>- Learn the setup flow</li> <li>- Perform setup of managed servers</li> </ul>

Manual Name [Virtual Edition]	Manual Name [Cloud Edition]	Reader Tasks
-	User's Guide for Infrastructure Administrators (Resource Management) CE	Perform operations on the [Resource] tab of the ROR console
-	Reference Guide (Command/XML) CE	Learn how to use the commands provided by Resource Orchestrator
-	Reference Guide (API) CE	Learn how to use the APIs of Resource Orchestrator
-	User's Guide for Infrastructure Administrators CE	Perform operations on the following tabs of the ROR console: <ul style="list-style-type: none"> <li>- Home</li> <li>- Dashboard (Pool Conditions)</li> <li>- Dashboard (System Conditions)</li> <li>- Dashboard (Capacity Planning)</li> <li>- Templates</li> <li>- L-Platform</li> <li>- Request</li> <li>- Tenants</li> <li>- Usage Charges</li> <li>- Account</li> </ul>
-	NS Option Instruction	Set up the environment using NS Option
-	DR Option Instruction	Set up the environment using DR Option

## 2.1.4 Operation

### Operating Resource Orchestrator

Figure 2.7 Operation of Resource Orchestrator [Virtual Edition]




Table 2.6 Operation of Resource Orchestrator [Virtual Edition]

Manual Name [Virtual Edition]	Manual Name [Cloud Edition]	Reader Tasks
Operation Guide VE	-	Perform the following operations using Resource Orchestrator: <ul style="list-style-type: none"> <li>- Monitor resources</li> <li>- Start and stop managers and agents</li> </ul>

Manual Name [Virtual Edition]	Manual Name [Cloud Edition]	Reader Tasks
		- Manage user accounts
User's Guide VE	-	Perform operations on the following tabs of the ROR console: - Resource

Figure 2.8 Operation of Resource Orchestrator [Cloud Edition]




Table 2.7 Operation of Resource Orchestrator by Infrastructure Administrators [Cloud Edition]

Manual Name [Virtual Edition]	Manual Name [Cloud Edition]	Reader Tasks
-	Operation Guide CE	Perform the following operations using Resource Orchestrator: - Monitor resources - Start and stop managers and agents - Manage user accounts - Manage tenants - Manage templates - Manage resources and resource pools - Manage logical platforms (L-Platforms) - Monitor logical platforms (L-Platforms) - Change the settings - Monitor logs - Manage accounting information - Provide high availability of managed resources
-	User's Guide for Infrastructure Administrators CE	Perform operations on the following tabs of the ROR console: - Home - Dashboard (Pool Conditions) - Dashboard (System Conditions) - Dashboard (Capacity Planning) - Templates



Manual Name [Virtual Edition]	Manual Name [Cloud Edition]	Reader Tasks
		<ul style="list-style-type: none"> <li>- L-Platform</li> <li>- Request</li> <li>- Tenants</li> <li>- Usage Charges</li> <li>- Account</li> </ul>
-	User's Guide for Infrastructure Administrators (Resource Management) CE	Perform operations on the following tabs of the ROR console: <ul style="list-style-type: none"> <li>- Resource</li> </ul>
-	NS Option Instruction	Ensure the network security of logical platforms (L-Platforms) using NS Option
-	DR Option Instruction	Operate the Disaster Recovery environment using Resource Orchestrator

Table 2.8 Operation of Resource Orchestrator by Tenant Administrators [Cloud Edition]

Manual Name [Virtual Edition]	Manual Name [Cloud Edition]	Reader Tasks
-	User's Guide for Tenant Administrators CE	Perform operations on the following tabs of the ROR console: <ul style="list-style-type: none"> <li>- Home</li> <li>- Dashboard (Pool Conditions)</li> <li>- Dashboard (System Conditions)</li> <li>- Dashboard (Capacity Planning)</li> <li>- Templates</li> <li>- L-Platform</li> <li>- Request</li> <li>- Tenants</li> <li>- Usage Charges</li> <li>- Account</li> </ul>

Table 2.9 Operation of Resource Orchestrator by Tenant Users [Cloud Edition]

Manual Name [Virtual Edition]	Manual Name [Cloud Edition]	Reader Tasks
-	User's Guide for Tenant Users CE	Perform operations on the following tabs of the ROR console: <ul style="list-style-type: none"> <li>- Home</li> <li>- System Conditions</li> <li>- L-Platform</li> <li>- Request</li> <li>- Account</li> </ul>

## 2.1.5 Maintenance

---

## Performing Maintenance of Resource Orchestrator

Figure 2.9 Maintenance of Resource Orchestrator [Virtual Edition]



Figure 2.10 Maintenance of Resource Orchestrator [Cloud Edition]




Table 2.10 Maintenance of Resource Orchestrator [Virtual Edition] [Cloud Edition]

Manual Name [Virtual Edition]	Manual Name [Cloud Edition]	Reader Tasks
Operation Guide VE	Operation Guide CE	Perform the following maintenance operations of Resource Orchestrator: <ul style="list-style-type: none"> <li>- Starting and stopping Resource Orchestrator</li> <li>- Collect logs</li> <li>- Backup and restore</li> <li>- Hardware maintenance</li> </ul>

## 2.1.6 Troubleshooting

### Troubleshooting Problems in Resource Orchestrator

Figure 2.11 Troubleshooting Problems in Resource Orchestrator [Virtual Edition]




Figure 2.12 Troubleshooting Problems in Resource Orchestrator [Cloud Edition]




Table 2.11 Troubleshooting Problems in Resource Orchestrator [Virtual Edition] [Cloud Edition]

Manual Name [Virtual Edition]	Manual Name [Cloud Edition]	Reader Tasks
Troubleshooting Messages		<ul style="list-style-type: none"> <li>- Collect troubleshooting data</li> <li>- Identify the cause of trouble and take corrective action</li> </ul>

## 2.1.7 Transferring L-Servers to the Quarantine Network

### Using the Automatic Quarantining Function for L-Servers

Figure 2.13 Using the Automatic Quarantining Function for L-Servers [Cloud Edition]




Table 2.12 Using the Automatic Quarantining Function for L-Servers [Cloud Edition]

Manual Name [Virtual Edition]	Manual Name [Cloud Edition]	Reader Tasks
-	[VMware] Automatic Quarantining Function Setup Guide	Learn how to install and configure the automatic quarantining function for L-Servers (VMware)
-	[Hyper-V] Automatic Quarantining Function Setup Guide	Learn how to install and configure the automatic quarantining function for L-Servers (Hyper-V)
-	[Citrix Xen] Automatic Quarantining Function Setup Guide	Learn how to install and configure the automatic quarantining function for L-Servers (Citrix Xen)
-	Automatic Quarantining Function User's Guide	Use the automatic quarantining function for L-Servers

## 2.1.8 VMware NSX

## Using VMware NSX

Figure 2.14 Using VMware NSX [Cloud Edition]




Table 2.13 Using VMware NSX [Cloud Edition]

Manual Name [Virtual Edition]	Manual Name [Cloud Edition]	Reader Tasks
-	VMware NSX Usage Guide	Use VMware NSX

## 2.2 Symbols Used in the Manuals

This section explains the symbols used in the Resource Orchestrator manuals.

The following symbols are used in Resource Orchestrator.

### Note

.....  
This symbol indicates points that require particular attention.  
.....

### Point

.....  
This symbol indicates information that is useful to know.  
.....

### Information

.....  
This symbol indicates information that is helpful to know.  
.....

### See

.....  
This symbol indicates a reference that provides important information.  
.....

### Example

.....  
This symbol indicates an example.  
.....